



2022

PRODUCT GUIDE



10,00,000+
industrial products
to inspire and shape
your business growth

ABOUT

industrybuying



Industrybuying.com is India's leading industrial e-commerce company serving thousands of SME customers Pan India. We are owned and operated by **MonotaRO Japan** (Japan's largest industrial E-commerce company), and by **W.W. Grainger** (America's largest Industrial E-commerce company). We sell over 10,00,000 items across 40+ industrial categories for door delivery. Try us today on your Desktop/Mobile or download our App.

What we offer:

Flexible Payment Options: We accept all standard modes of payment. You can avail credit upto Rs. 5 Lacs at low interest rates.

Wholesale Pricing: Affordably priced products with exciting discount benefits on individual and bulk orders.

Premium Quality: Best products for your industry-specific use case offered by the most trusted brands. We deal in 12000+ brands.

Warranty Assurance: 100% authentic products with certified warranty

Robust Vendor Network: Widespread sourcing options to ensure that you find exactly what you are looking for.

Pan-India Delivery: Our delivery agents walk the extra mile and deliver orders to the remotest parts in India. We deliver to 30,000+ pin-codes.

On-time, Every Time: Orders delivered to your doorstep at lightning-fast speeds.

Easy Returns: We offer a customer-friendly return and exchange policy.






industrybuying.com

Khasra No. 401-402,
Ghitorni, Near Ghitorni
Metro Station,
New Delhi - 110030

Have any more questions? Call

+91 8448449073

01	AGRICULTURE GARDEN & LANDSCAPING TOOLS
07	MATERIAL HANDLING & PACKAGING
10	POWER TOOLS
18	PNEUMATICS & COMPRESSORS
22	PUMPS
24	HAND TOOLS & WELDING
29	CLEANING
31	TESTING & MEASURING INSTRUMENTS
34	FURNITURE HOSPITALITY & FOOD SERVICE
35	AUTOMOTIVE MAINTENANCE & ACCESSORIES
36	TOOLING & CUTTING
38	PACKAGING MATERIALS & MACHINES, HYDRAULICS, HARDWARES & MACHINING ACCESSORIES
39	ABRASIVES
40	SAFETY
41	OEM BRAND DISCOUNTS






industrybuying.com

BRANDS WE PROVIDE

We are your One-Stop-Shop for 12000+ brands. With many top brands as our OEM partners you can be assured of saving atleast 10% against your current procurement spend

							
							
							
							
							Many More...

WE ARE ALWAYS WITHIN YOUR REACH

30,000 + serviceable pin codes pan India

Reliable supply chain network

End-to-end logistics solutions from pickup to last mile delivery

Industrybuying Channel Finance programme

Get instant business inventory worth up to Rs. 5 Lakhs with Industrybuying's Channel Financing.

Key Features:



Low Interest Rate



Upto 30-Day Credit Period



Upto Rs. 5 Lacs Credit Limit



Hassle-Free Digital
10-Minutes Onboarding



No Collateral




No Hidden Charges


Boost your purchasing power and accelerate your business growth today!

How to Get Started?

Activate your Channel Financing on Industrybuying in a simple three-step process



Step - I:
Fill the details in the
form attached.



Step - II:
Provide your PAN card and
Aadhaar card for KYC.



Step - III:
Connect your bank account
through eNACH & done.

Channel Financing Enrollment Form

Personal Details

Name:

(Please use capital letters)

Birth Date : ____/____/____

Gender: ☐ Male ☐ Female

Email Address : _____

Phone Number: _____

Company Profile

Company Name: _____

Address: _____

City: _____

State: _____

Pincode: _____

Company Number: _____

Company GST(Mandatory): _____

Company's Turnover: _____

Company's Business Area: _____

Bank Details

Bank Account Holder's name: _____

Account Number : _____

IFSC Code : _____

Branch Address: _____

Please submit the below documents

Aadhar Number ☐ Pan Card ☐

Kindly fill the details to complete verification or

Visit industrybuying.com/user/pay-later/ for e-verification.

UMRN		Date	
Sponsor Bank Code		Utility Code	
Tick (✓) CREATE ☐ MODIFY ☐ CANCEL ☐	I/We hereby authorize		to debit (tick ✓) ☐ SB / CA / CC / SB-NRE/ SB-NRO / Other ☐
Bank a/c number		IFSC or MICR	
with Bank		an amount of Rupees	
Frequency ☐ Mthly ☐ Qly ☐ H Yrly ☐ Yrly ☐ As & when presented	Debit Type ☐ Fixed Amount ☐ Maximum Amount		
Reference 1	Phone No.		
Reference 2	Email ID		
I agree for the debit of mandate processing charges by the bank whom I am authorizing to debit my account as per latest schedule of charges of the bank.			
Period From To Or ☐ Until Cancelled	1. 2. 3.		
* This is to confirm that the declaration has been carefully read, understood & made by me / us. I am authorizing the User entity / Corporate to debit my account, based on the instructions as agreed and signed by me. * I have understood that I am authorized to cancel / amend this mandate by appropriately communicating the cancellation / amendment request to the User entity / corporate or the bank where I have authorized the debit.			



CONSENT LETTER

I, (Name) hereby consent, authorize and permit Minions Ventures Private Limited (hereinafter called as Company/ KredX) to conduct enhanced due-diligence to better understand my/our financial health in order to provide access to discounting of invoices on KredX platform in relation to raising working capital. I have read the terms and conditions as stated below in CRIF High Mark Credit Score Terms of Use.

CRIF High Mark Credit Score Terms of Use

In connection with submission of the application for my credit information ("Consumer Credit information") offered by CRIF High Mark ("CIC") through Minions Ventures Private Limited (referred to as the "Company/ KredX") and delivery of the Consumer Credit Information to the Company, I hereby acknowledge and agree to the following:

- A. The Company is my lawfully appointed agent and Company has agreed to be my agent for the purposes, including, without limitation, to receive the Consumer Credit Information from CIC on my behalf and use it in the manner consistent with the Agreement entered into between the Company and CIC, and the Company has granted its consent for being appointed for the aforesaid purpose.
- B. I grant my unconditional consent to the Company to receive the Consumer Credit Information from CIC on my behalf and use it in the manner consistent with the Agreement entered into between the Company and CIC, as the case may be, and the Company has granted its consent for being appointed for the aforesaid purpose. I hereby represent and acknowledge that: the Terms of Understanding in relation to the use of the Consumer Credit Information has been agreed between me and the Company.
- C. I hereby expressly grant unconditional consent to, and direct, CIC to deliver and / or transfer my Consumer Credit Information to the Company on my behalf. I shall not hold CIC responsible or liable for any loss, claim, liability, or damage of any kind resulting from, arising out of, or in any way related to: (a) delivery of my Consumer Credit Information to the Company; (b) any use, modification or disclosure by the Company of the contents, in whole or in part, of my Consumer Credit Information, whether authorized or not; (c) any breach of confidentiality or privacy in relation to delivery of my Consumer Credit Information to the Company ; (d) for any use made by the Company which is contrary to the Agreement entered into between the Company and CIC.
- D. I acknowledge and accept that: (a) CIC has not made any promises or representations to me in order to induce me to provide my Consumer Credit Information or seek any consent or authorization in this regard; and (b) the implementation of the Agreement between CIC and the Company is solely the responsibility of the Company.
- E. I agree that I may be required to record my consent / provide instructions electronically and in all such cases I understand that by clicking on the "Accept and Send OTP" button, I am providing "written instructions" to Company authorizing Company to obtain my Consumer Credit Information from my personal credit profile from CRIF High Mark.
- F. I further authorize Company to obtain such information solely to conduct due-diligence to better understand my/our financial health in order to provide access to discounting of invoices on KredX platform. Further in all such cases by checking this box and , I agree to the terms and conditions, acknowledge receipt of CIC privacy policy and agree to its terms, and confirm my authorization for Company to obtain my Consumer Credit Information.
- G. I understand that in order to deliver the product to me, I hereby authorize Company, to obtain my Consumer Credit Information from CIC. By submitting this registration form, I understand that I am providing express written instructions for Company to request and receive information about me from third parties, including but not limited to a copy of my consumer credit report and score from consumer reporting agencies, at any time for so long as I have an active Company account. I further authorize Company to retain a copy of my information for use in accordance with Company's Terms of Use and Privacy Policy.
- H. I UNDERSTAND THAT THE PRODUCT IS PROVIDED ON AN "AS-IS", "AS AVAILABLE" BASIS AND CIC EXPRESSLY DISCLAIMS ALL WARRANTIES, INCLUDING THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, AND NON-INFRINGEMENT.

I shall not sue or otherwise make or present any demand or claim, and I irrevocably, unconditionally and entirely release, waive and forever discharge CIC , its officers, directors, employees, agents, licensees, affiliates, successors and assigns, jointly and individually (hereinafter "**Releasee**"), from any and all manner of liabilities, claims, demands, losses, claims, suits, costs and expenses (including court costs and reasonable attorney fees) ("**Losses**"), whatsoever, in law or equity, whether known or unknown, which I ever had, now have, or in the future may have against the Releasee with respect to the submission of my Consumer Credit Information and / or my decision to provide CIC with the authority to deliver my Consumer Credit Information to the Company. I agree to defend, indemnify, and hold harmless the Releasee from and against any and all Losses resulting from claims made against CIC by third parties arising from and in connection with this letter.

- I. I agree that the terms of this confirmation letter shall be governed by the laws of India and shall be subject to the exclusive jurisdiction of the courts located in Mumbai in regard to any dispute arising hereof. CIC is entitled to assign its rights hereunder to any third person without taking my prior written consent.

I have read the terms and conditions stated below.

You hereby consent to KredX being appointed as your authorised representative to receive your Credit Information from Experian for the purpose of due-diligence to better understand financial health in order to provide access to discounting of invoices on KredX platform and such information shall remain with KredX till such time you inform KredX to either destroy, purge, erase or return it to Experian), ("**End Use Purpose**").

Information Collection, Use, Confidentiality, No-Disclosure and Data Purging

KredX shall access your Credit Information as your authorized representative and KredX shall use the Credit Information for limited End Use Purpose consisting of and in relation to the services proposed to be availed by you from KredX. KredX shall not aggregate, retain, store, copy, reproduce, republish, upload, post, transmit, sell or rent the Credit Information to any other person and the same cannot be copied or reproduced other than as agreed herein and in furtherance to CICRA. The Parties agree to protect and keep confidential the Credit Information both online and offline.

The Credit Information shared by You, or received on by KredX on your behalf shall be destroyed, purged, erased promptly within 1 (one) Business Day of upon the completion of the transaction/ End Use Purpose for which the Credit Information report was procured.

Governing Law and Jurisdiction

The relationship between You and KredX shall be governed by laws of India and all claims or disputes arising there from shall be subject to the exclusive jurisdiction of the courts of Mumbai.

BY EXECUTING CONSENT FORM, YOU ARE EXPRESSLY AGREEING TO ACCESS THE EXPERIAN CREDIT INFORMATION REPORT AND CREDIT SCORE, AGGREGATE SCORES, INFERENCES, REFERENCES AND DETAILS (TOGETHER REFERRED AS "CREDIT INFORMATION"). YOU HEREBY ALSO IRREVOCABLY AND UNCONDITIONALLY CONSENT TO SUCH CREDIT INFORMATION BEING PROVIDED BY EXPERIAN TO YOU AND KREDX BY USING EXPERIAN TOOLS, ALGORITHMS AND DEVICES AND YOU HEREBY AGREE, ACKNOWLEDGE AND ACCEPT THE TERMS AND CONDITIONS SET FORTH HEREIN.

- J. **BY SIGNING THIS AGREEMENT, YOU AGREE AND ACCEPT THE DISCLAIMERS AND TERMS AND CONDITIONS SET OUT HEREIN.**

Yours faithfully,

I, _____, hereby consent , authorize and permit Minions Ventures Private Limited (hereinafter called as "KredX") to conduct enhanced due- diligence to better understand my financial health in order to provide access to discounting of invoices on KredX platform in relation to raise working capital.

You and KredX shall be collectively referred to as the "**Parties**" and individually as a "**Party**".

I hereby accept and agree to the terms and conditions.

Name:
Designation:
Phone:
Email:

Date:
Place:

Agriculture Garden & Landscaping Tools



Agriculture Garden & Landscaping Tools

AgriPro Backpack Brush Cutter

SKU: AGR.BRU.102350164
Model No: APBPC53
Engine Type: Air-cooled, 2 Stroke, Single Cylinder
Displacement: 52 CC
Rated Output Power: 1.9 KW
Engine Model: 1E44F
Diameter of Shaft: 28 mm
Fuel Tank Capacity: 1200 ml



AgriPro Brush Cutter 38 CC

SKU: AGR.BRU.21648011
Model No: APBPC53
Engine Type: Air-Cooled, 4 Stroke, Single Cylinder
Displacement: 38 CC
Rated Output Power: 1 KW
Engine Model: 1E40F
Diameter of Shaft: 28 mm
Fuel Tank Capacity: 650 ml
Rotate Speed: 6500 RPM
Oil Tank Capacity: 80 ml



AgriPro Brush Cutter 43 CC

SKU: AGR.BRU.71517160
Model No: APBC43
Rated Output Power: 1.45 kW/6500 RPM
Engine Model: 1E40F-5
Displacement: 38 CC
Diameter of Shaft: 28 mm
Engine Type: Air-cooled, 2 Stroke, Single Cylinder
Carburetor: Diaphragm Type
Fuel Tank Capacity: 1200 ml



AgriPro 5 in 1 Multi-Functional Garden Machine

SKU: AGR.BRU.61517175
Model No: APMT552
Displacement: 52 CC
Rated Output Power: 1.9 kW/6500 RPM
Engine Displacement: 52 CC
Diameter of Shaft: 26 mm
Start System: Recoil Start
Includes: Trimmer, Nylon Blade, Chain Saw, Hedge Trimmer and Tiller attachment
Fuel Tank Capacity: 1200 ml
Brush Cutter 3T Blade: 255 mm



AgriPro 2.2 HP Chaff Cutter without Motor

SKU: AGR.CHA.32125436
Model No: APCC9Z
Spindle Speed: 1000-1100 RPM
Voltage: 220 V
Suitable Motor Power: 2.2 HP
Electricity Consumption: 1.8 kW/h
No. of Knife Blades: 6 Pcs
Production Capacity: 600 kg/hour



AgriPro 3.6 HP Chaff Cutter Cum Pulverizer without Motor

SKU: AGR.CHA.22125422
Model No: APCCP9FQ
Spindle Speed: 1000-1100 RPM
Voltage: 220 V
Suitable Motor Power: 3.6 HP
Electricity Consumption: 3 kW/h
No. of Hammer Blades: 16 Pcs
No. of Knife Blades: 8 Pcs
Production Capacity: Cutter 1200 Kg/hour, Pulverizer 1000 kg/hour
Machine Size: 1050 x 1000 x 950 mm



AgriPro 3 HP Motor for Butterfly Rice Mill

SKU: AGR.CHA.5233559
Motor Power: 2.2HP
Voltage: 220 V
Suitable for: Chaff Cutter APCC9Z



AgriPro 3 HP Motor for Butterfly Rice Mill

SKU: AGR.CHA.82324156
Motor Power: 3.6 HP
Voltage: 220 V
Suitable for: Chaff Cutter Cum Pulverizer





AgriPro Power Cultivator 7 HP

SKU: AGR.CUL.42018780

Model No: APC100FQ

Transmission: Gear

Engine Output: 7 HP (5.1 kW)

Clutch: Wet Friction Disc Clutch

No Load Speed: 3600 RPM

Gear Shifting: R: 1, F: 1, 2

Engine Model: KY170F Gasoline Engine, 4 Stroke

Displacement: 212 ml

Bore x Stroke: 70 x 55 mm

Productivity: 0.04 hm²/h

Tilling Depth: 100 mm

Tilling Width: 1000 mm

Starting: Recoil

Wheels: 4-8 inch

Fuel Tank Capacity: 3.6 l

AgriPro Earth Auger (with Drill Bit)

SKU: AGR.EAR.101517204

Model No: APEA52

Engine Type: Air-cooled, 2 Stroke, Single Cylinder

Engine Displacement: 52 CC

Rated Output Power: 1.9 kW/6500 RPM

Drill Diameter: 80/100/150/200/250 mm

Engine Model: 1E44F-6

Includes: 100 mm Auger Bit

Fuel Tank Capacity: 1200 ml

Drilling Rotational Speed: 170 u/min

Drill Length: 800/1000 mm

Max. Engine Speed: 8000 RPM



AgriPro 1 HP Maize Thresher Machine (without Motor)

SKU: AGR.GRA.32125484

Model No: APMZ5TY

Production Capacity: Maize 1500-2000 kg/hour

Suitable Motor Power: 1 HP

Voltage: 220 V

Spindle Speed: 1600 RPM

Electricity Consumption: 0.8 kW/h

Machine Size: 1100 x 270 x 700 mm

AgriPro 1 HP Motor for Maize Thresher Machine

SKU: AGR.GRA.82335603

Motor Power: 1 HP

Voltage: 220 V

Suitable for: Maize Thresher Machine APMZ5TY



AgriPro 3 HP Butterfly Rice Mill Machine (without Motor)

SKU: AGR.GRA.52125501

Model No: APRM6N

Shape: Butterfly

Production Capacity: Rice 165-200 kg/hour, Millet 120-150 kg/hour

Electricity Consumption: 1.35 kW/h

Suitable Motor Power: 3 HP

Voltage: 220 V

Spindle Speed: 1400-1600 RPM

Machine Size: 800 x 300 x 1130 mm



AgriPro 3 HP Motor for Butterfly Rice Mill

SKU: AGR.GRA.42649918

Motor Power: 3 HP

Voltage: 220 V

Suitable for: Butterfly Rice Mill APRM6N





AgriPro 3 HP Butterfly Combined Rice Mill Machine (without Motor)

SKU: AGR.GRA.82125517

Model No: APCRM6N9FC

Production Capacity: Rice Mill: Rice 165-200 kg/hour, Millet 120-150 kg/hour,

Disc Mill: Pulverizer 180-250 kg/hour

Electricity Consumption: Rice Mill: 1.35 kW/h, Suitable Motor Power: 3 HP

Voltage: 220 V

Spindle Speed: Rice Mill: 1400-1600 RPM, Disc Shape: Butterfly

No Load Speed: 3600 RPM

AgriPro 3 HP Motor for Butterfly Combined Rice Mill

SKU: AGR.GRA.102323516

Motor Power: 3 HP

Voltage: 220 V

Suitable for: Butterfly Combined Rice Mill APCRM6N9FC



AgriPro 3 HP Disc Mill Crusher with Milling Screen (without Motor)

SKU: AGR.GRA.62125493

Model No: APDMC9FC

Machine Size: 1000 x 670 x 360 mm

Production Capacity: Wheat-40 kg, Other-250 kg

Electricity Consumption: 2.4 kW/h

Suitable Motor Power: 3 HP

No. of Teeth: T-Teeth: 4 Pcs, Square Teeth: 6 Pcs

Voltage: 220 V

Spindle Speed: 4500-5500 RPM

Machine Size: 1100 x 270 x 700 mm



AgriPro 1 HP Motor for Maize Thresher Machine

SKU: AGR.GRA.22649928

Motor Power: 3 HP

Voltage: 220 V

Suitable for: Disc Mill Crusher APDMC9FC

AgriPro Hose Reel Set (Mini)

SKU: AGR.HOS.95512740

Size ID: 8 mm

Size OD: 11 mm

Length: 10 m

Colour: Green

Package Content: Hose, Spray Gun,

Pcs Connector, 1 Tap Adaptor



AgriPro PVC Hose Reel

SKU: AGR.HOS.35512751

Size ID: 11.8 mm

Size OD: 14.8 mm

Length: 10 m

Colour: Green

Material: PVC



AgriPro Hose Reel Trolley Set

SKU	Size ID	Size OD	Length	Colour	Package Content	Material
AGR.HOS.95512720	11.8 mm	14.8 mm	20 m	Green	Hose, Spray Gun, Hose Trolley 3 Pcs Connector,	PVC
AGR.HOS.25512732	11.8 mm	14.8 mm	30 m	Green	Hose, Spray Gun, Hose Trolley 3 Pcs Connector,	PVC





AgriPro HTP Spray Pump

SKU: AGR.HTP.103596538
 Model No.: MH-30
 Engine Speed: 800-1200 RPM
 Suction Volume: 30-40 l/min
 Pressure: 1-4 Pa
 Power: 2-3 HP
 Plunger x Diameter: 3 pc x 30 mm

SKU: AGR.HTP.73596544
 Model No.: MH-50
 Engine Speed: 800-1200 RPM
 Suction Volume: 44-66 l/min
 Pressure: 1-5 Pa
 Power: 5-6 HP
 Plunger x Diameter: 3 pc x 30 mm

SKU: AGR.HTP.93596522
 Model No.: MH-22A-1
 Engine Speed: 800-1200 RPM
 Suction Volume: 13-22 l/min
 Pressure: 1-4 Pa
 Power: 1.5-2 HP
 Plunger x Diameter: 3 pc x 22 mm

Accessories in box: 1 x 1.9 m Suction Hose, 1 x 2.1 m Discharge Hose & Tool Kit

AgriPro Outboard Motor

SKU: AGR.OUT.91648024
 Model No: APOM52
 Engine Type: Air-Cooled, 2
 Stroke, Single Cylinder
 Max. Output: 1.9 kW
 Propeller Diameter: 180 mm
 Rotate Speed: 6500 RPM
 Displacement: 52 CC
 Engine Model: 1E44F-6
 Fuel Tank Capacity: 1.2 l



AgriPro Mist Blower

SKU: AGR.PET.53596591
 Model No: 3WF-18-3
 Tank Capacity: 14 l
 Engine Model: 1E40FP-3Z
 Displacement: 50.3 CC
 Rotate Speed: 6500 RPM
 RPM: 1500 RPM
 Rated Power: 1.8 kW
 Range: 10m
 Engine Type: 2 stroke



AgriPro Petrol Chainsaw

SKU: AGR.PET.101517215
 Model No: APCs58
 Engine Displacement: 58 CC
 Engine Type: Air-cooled, 2 Stroke
 Rated Output Power: 2.4 kW
 Engine Model: 1E45.2F
 Cylinder Type: Double Cylinder
 Bar Length: 22 Inch
 Fuel Tank Capacity: 550 ml
 Start Type: Easy Starter
 Oil Tank Capacity: 260 ml
 Idle Speed: 3000 RPM
 Max. Limited Speed: 10000 RPM
 Grip: Rubber Grip



Accessories in box: Ear muff, Tool kit, Safety glasses, Gloves, Oil Tank



AgriPro Knapsack Power Sprayer

SKU: AGR.POW.93596557
 Model No: MH767
 Engine: 2 Stroke
 Capacity: 25 l
 Pressure: 0.2 - 0.3 Mpa
 Engine Type: TU26
 Output: 6-8 l/min
 Pump: Brass
 No. of Spray Gun: 3

Accessories in box: 1 x 90 cm Gun with Brass Nozzle
 1 x 60 cm lance with 3 nozzle
 1 x 1.2 meter Connecting Hose
 1 Mixing Tank
 Tool Kit



AgriPro Hand Push Plant Seeder

SKU: AGR.SEE.63596585
 Model No: HY-1094
 Capacity: 2-3 kg
 Mouth No.: 12, 10, 9, 8, 7, 6 Mouths Adjustable
 Seeding Number: 1-3
 Spacing: 13-25 cm
 Suitable for: Corn, soyabean, peanut, chickpea, cotton, etc.

AgriPro Single Barrel Portable Seeder

SKU: AGR.SEE.73596568
 Model No: HY-1093
 Efficiency: 8000-10000 m²/day
 Seeding Number.: 1-3
 Loaded Weight: 2.5 kg
 Suitable for: Corn, soyabean, peanut, cotton



Agripro Double Barrel Portable Plant Seeder cum Fertilizer

SKU: AGR.SEE.83596573
 Model No: HY-1092
 Efficiency: 8000-10000 m²/day
 Loaded Weight: 2.5 Kg
 Seeding Number: 1-3
 Suitable for: Corn, soyabean, peanut, cotton, etc



AgriPro Power Tiller (Mini)

SKU: AGR.TIL.41517227
 Model No: APMT52
 Engine Displacement: 52 CC
 Rated Output Power: 1.9 kW/6500 RPM
 Tilling Depth: 10-15 cm
 Tilling Width: 25-30 cm
 Engine Type: Air-cooled, 2 Stroke, Single Cylinder
 Engine Model: 1E44F-6
 Fuel Tank Capacity: 1200 ml
 Start System: Recoil Starter



AgriPro Water Pump - APWP2

SKU: AGR.WAT.71648411
 Model No: APWP2
 Engine Type: 4 Stroke
 Suction: 8 m
 Lift: 32 m
 Inner Diameter: 50 mm
 Flow Capacity: 600 l/min
 Displacement: 206 CC
 Engine Power: 3 kW
 Idle Speed: 3000 RPM
 Max. Engine Speed: 4000 RPM



AgriPro Water Pump - APWP3

SKU: AGR.WAT.101648425
 Model No: APWP3
 Engine Type: 4 Stroke
 Suction: 8 m
 Lift: 28 m
 Inner Diameter: 80 mm
 Flow Capacity: 1000 l/min
 Displacement: 206 CC
 Engine Power: 3 kW
 Idle Speed: 3000 RPM
 Max. Engine Speed: 4000 RPM



Agripro HTP Hose Pipe

SKU: AGR.HOS.106309626
 Layers: 5
 Color: Yellow
 Type of Product: Hose Pipe
 Inner Diameter: 8.5 mm
 Length: 100 mtr
 Maximum Pressure: 220 kgf/cm²

SKU: AGR.HOS.36309633
 Layers: 5
 Color: Yellow
 Type of Product: Hose Pipe
 Inner Diameter: 10 mm
 Length: 100 mtr
 Maximum Pressure: 220 kgf/cm²

SKU: AGR.HOS.56309613
 Layers: 5
 Color: Yellow
 Type of Product: Hose Pipe
 Inner Diameter: 8.5 mm
 Length: 50 mtr
 Maximum Pressure: 220 kgf/cm²

Ingco Electric Lawn Mower

SKU: AGR.ELE.12518815
 Model No: LM385
 Capacity: 380 mm
 Dimensions: 250 x 300 x 250 mm
 Weight: 8 kg
 Voltage: 220-240 V
 Motor Power: 2.5 HP
 Power: 1600 W



Ingco Cordless Li-Ion Grass Trimmer (without Battery Pack)

SKU: AGR.COR.65587094
 Model No: CSTLI2001
 No Load Speed: 1200 RPM
 Power Source: Battery Powered
 Voltage: 20 V
 Cutting Width: 200 mm
 Battery Type: Lithium-Ion
 Blade Material: SK5





Ingco Cordless Li-Ion Chain Saw (without Battery Pack)

SKU: AGR.COR.25587106
 No Load Speed: 3700-4500 RPM
 Power Source: Battery Powered
 Voltage: 20 V
 Battery Type: Lithium-Ion
 Bar Length: 12 inch

SKU: AGR.COR.25587106
 No Load Speed: 3700-4500 RPM
 Power Source: Battery Powered
 Voltage: 20 V
 Battery Type: Lithium-Ion
 Bar Length: 12 inch

SKU: AGR.COR.25587106
 No Load Speed: 3700-4500 RPM
 Power Source: Battery Powered
 Voltage: 20 V
 Battery Type: Lithium-Ion
 Bar Length: 12 inch

Ingco Cordless Grass Trimmer

SKU: AGR.COR.35260897
 Model No: CGTLI20018
 No Load Speed: 8200 RPM
 Cable Length: 5M
 Cutting Diameter: 300 mm
 Voltage: 20 V
 Line Diameter: 1.6 mm

SKU: AGR.BRU.35782523
 Model No: CGTLI20301
 No Load Speed: 8200 RPM
 Cable Length: 5M
 Cutting Diameter: 300 mm
 Voltage: 20 V
 Line Diameter: 1.6 mm

SKU: AGR.COR.35260897
 Model No: CGTLI20018
 No Load Speed: 8200 RPM
 Cable Length: 5M
 Cutting Diameter: 300 mm
 Voltage: 20 V
 Line Diameter: 1.6 mm



Ingco Hedge Trimmer

SKU: AGR.COR.25587106
 Model No: CGSLI20128
 Voltage: 20V
 Maximum speed : 1400rpm
 Blade length: 450mm (18")
 Maximum cutting diameter: 18mm



Material Handling and Packaging



Material Handling and Packaging

Fulcrum Chain Pulley Block

SKU	Model No.	Capacity	Lifting Height	Hand Chain	Load Chain Dia
MAT.CHA.81518745	1T3M	1 Ton	3 m	Galvanized	6 mm
MAT.CHA.91518751	2T3M	2 Ton	3 m	Galvanized	8 mm
MAT.CHA.101518768	3T3M	3 Ton	3 m	Galvanized	8 mm
MAT.CHA.42553188	1T6M	1 Ton	6 m	Galvanized	6 mm
MAT.CHA.72553192	2T6M	2 Ton	6 m	Galvanized	8 mm
MAT.CHA.72553204	3T6M	3 Ton	6 m	Galvanized	8 mm



Fulcrum Electric Hoist Lifting Height (Mini)

SKU: MAT.ELE.82400223	SKU: MAT.ELE.61518786
Model No: PA-300	Model No: PA-500
Input Power: 650 W	Input Power: 1050 W
Max. Capacity: 300 kg	Max. Capacity: 500 kg
Min. Capacity: 150 kg	Min. Capacity: 250 kg
Lifting Height Double Hook: 10 m	Lifting Height Double Hook: 10 m
Lifting Height Single Hook: 20 m	Lifting Height Single Hook: 20 m
Motor Power: 2.4 HP	Motor Power: 2.4 HP
SKU: MAT.ELE.63559845	SKU: MAT.ELE.21518790
Model No: PA-1000	Model No: PA-1200
Input Power: 1600 W	Input Power: 2000 W
Max. Capacity: 1000 kg	Max. Capacity: 1200 kg
Min. Capacity: 500 kg	Min. Capacity: 600 kg
Lifting Height Double Hook: 15 m	Lifting Height Double Hook: 15 m
Lifting Height Single Hook: 30 m	Lifting Height Single Hook: 30 m
Motor Power: 2.4 HP	Motor Power: 2.4 HP

Fulcrum Geared Trolley

SKU: MAT.GEA.51648135	SKU: MAT.GEA.101648148
Model No: GCL-1T	Model No: GCL-2T
Rated Load: 1 Ton	Rated Load: 2 Ton
I-Beam Recommended: 75-125 mm	I-Beam Recommended: 100-150 mm
SKU: MAT.GEA.91648158	
Model No: GCL-3T	
Rated Load: 3 Ton	
I-Beam Recommended: 100-150 mm	



Fulcrum Electric Wire Rope With Motorised Trolley (Mini)

SKU: MAT.ELE.31518803
Model No: MET-1000
Capacity: 1000 kg
Travelling Speed: 10-15 m/min
Garter/Beam Size: 5 cm
Capacity: 1000 kg
Voltage: AC 220V/230V



Fulcrum 5 Step Foldable Aluminium Ladder

SKU: MAT.HOU.34099294
Model No: FC-DLH105
Max. Load: 150 kg
No. of Steps: 5
Material: Aluminium
Max. Extended Height: 150 cm
Ladder Width: 45 cm
Step Distance: 20 cm
Top Platform Height: 99 cm
Thickness: 1.2 mm
Extendable Width: 85 cm



Fulcrum Adjustable 4 x 2 Step Multipurpose Ladder

SKU: MAT.MUL.54099315
Model No: FC-DLM102
No. of Steps: 4 x 2
Straight Height: 240 cm
Scaffold Height: 66 cm
Partition Open Height: 1.17 m
Max. Load: 150 kg
Material: Aluminium
Folded Height: 64 cm
Ladder Width: 35 cm
Step Distance: 28 cm
Thickness: 1.2 mm
Packaging Size: 65 x 35 x 28 cm



Fulcrum Adjustable 4 x 3 Step Multipurpose Ladder

SKU: MAT.MUL.44099301
Model No: FC-DLM103
No. of Steps: 4 x 3
Straight Height: 352 cm
Scaffold Height: 94 cm
Partition Open Height: 1.7 m
Max. Load: 150 kg
Material: Aluminium
Folded Height: 92 cm
Ladder Width: 35 cm
Step Distance: 28 cm
Thickness: 1.2 mm



Fulcrum Adjustable 4 x 4 Step Multipurpose Ladder

SKU: MAT.MUL.84099322
Model No: FC-DLM104
No. of Steps: 4 x 4
Straight Height: 464 cm
Scaffold Height: 122 cm
Partition Open Height: 2.23 m
Max. Load: 150 kg
Material: Aluminium
Folded Height: 120 cm
Ladder Width: 35 cm
Step Distance: 28 cm
Thickness: 1.2 mm
Length: 15.2 ft



Fulcrum Hand Pallet Truck

SKU: MAT.PAL.91518823
Model No: FHPT2.5T
Capacity: 2.5 Ton
Fork Length: 1150 mm
Overall Fork Width: 550 mm
Lift Height: 110 mm
Max. Fork Height: 195 mm
Min. Fork Height: 85 mm
Single Fork Width: 160 mm
Steering Wheel: 180 x 50 mm
Fork Wheel Tandem: 80 x 70 mm
Fork Wheel Single: 80 x 93 mm
Wheel Material: Outer Body: PU, Inner Body: PVC



Fulcrum Double Telescopic Ladder

SKU: MAT.TEL.34099368
Model No: DLT709B
Max. Load: 150 kg
No. of Steps: 2 x 9
Open Height: 5.6 m
Thickness: 1.3-1.5 mm
Folded Height: 93 cm
Material: Aluminium
Step Distance: 30 cm
Width: 48.5 cm
A Size: 48.5 cm
B Height: 93 cm
C Height: 264 cm
D Height: 560 cm



Fulcrum 10 Step Aluminium Telescopic Ladder

SKU: MAT.TEL.94099358
Model No: FC-DLT209B
Max. Load: 150 kg
No. of Steps: 10
Open Height: 2.9 m
Folded Height: 77 cm
Material: Aluminium
Step Distance: 30 cm
Ladder Width: 46.5 cm



Fulcrum Plastic Foldable Crates

SKU: MAT.PLA.25440268
Capacity: 12 l (20 kg)
Dimensions: 400 x 300 x 140
Material: Plastic



Fulcrum Plastic Foldable Crates

SKU: MAT.PLA.55440273
Capacity: 36 l (35 kg)
Material: Plastic
Dimensions: 530 x 365 x 240 mm



Fulcrum Plastic Foldable Crates

SKU: MAT.PLA.85440283
Capacity: 60 l (40 kg)
Material: Plastic
Dimensions: 600 x 400 x 300 mm



Fulcrum Ratchet Lever Hoist

SKU: MAT.RAT.63063261
Model No: HSH-0.75
Capacity: 750 kg
Load Chain Diameter: 6 mm
No. of Fall Chain: 1
Standard Lift: 1.5 m

SKU: MAT.RAT.93063272
Model No: HSH-1.5
Capacity: 1500 kg
Load Chain Diameter: 8 mm
No. of Fall Chain: 1
Standard Lift: 1.5 m

SKU: MAT.RAT.23063287
Model No: HSH-3.2
Capacity: 3200 kg
Load Chain Diameter: 8 mm
No. of Fall Chain: 1
Standard Lift: 1.5 m

Fulcrum Heavy Duty Foldable Platform Trolley

SKU: MAT.PLA.91518620
Model No: PH150
Load Capacity: 150 kg
Castors: 4 Inch Plastic Castor
Platform Material: Steel with PVC Cover
Platform Size: 730 x 480 mm
Wheel Diameter: 100 x 36 mm
Wheel Material: PP



SKU: MAT.PLA.91518612
Model No: PH300
Load Capacity: 300 kg
Castors: 5 Inch Iron Core Rubber Castor
Platform Material: Steel with PVC Cover
Platform Size: 915 x 605 mm
Wheel Diameter: 125 x 36 mm
Wheel Material: PP

Fulcrum Folding Shopping Cart

SKU: MAT.SHO.65512767
Colour: Black
Size: 42 x 40.5 x 38 cm



Fulcrum Loading Capacity Manual Scissor Table

SKU: MAT.SCI.25389151
Load Capacity: 150 kg
Min. Lift Height: 210 mm
Table Size: 700 x 450 x 35 mm
Max. Lift Height: 720 mm
Oil Pump Type: Whole Pump
Wheels: 100 x 32 inch



Fulcrum Electric Winch machine KCD

SKU: MAT.WIN.93063337
Model No: KCD-500/1000
Phase: Single Phase
Voltage: 220V/50Hz
Power (KW): 2.2 kW
Lifting Speed: 14 - 7 mtr/min
Rope Diameter: 6 mm
Double Rope Lifting Height: 30 mtr
Single Rope Capacity: 500 Kg
Double Rope Capacity: 1000 kg
Single Rope Lifting Height: 50 MTR



Fulcrum Loading Capacity Dump Cart

SKU: MAT.WHE.25343457
Model No.: TC2145
Tray Size: 930 x 530 x 200 mm
Loading Capacity: 75 l / 250 Kg
Wheel Size: 10 x 3.50 Inch
Wheel Type: 4 Pneumatic Wheel
(with Metal Rim)



Fulcrum Loading Capacity Steel Mesh Cart

SKU: MAT.WHE.55343467
Model No.: TC1840A
Tray Size: 510 x 24 mm
Loading Capacity: 955 l / 300 Kg
Wheel Size: 10 x 3.50 Inch
Wheel Type: 4 Pneumatic Wheel
Material: Steel
Body Size: 1135 x 520 x 1060 mm



Power Tools



Power Tools

PowerHouse Angle Grinder (670W)

SKU: POW.ANG.101521182
 Model No.: PHAG100
 Rated Input Power: 670 W
 Max. Disc Diameter: 100 mm
 Rated Voltage: 220 V
 No Load Speed: 11000 RPM



PowerHouse Angle Grinder (850W)

SKU: POW.ANG.92181248
 Model No.: PHAG801
 Rated Input Power: 850 W
 Max. Disc Diameter: 100 mm
 Rated Voltage: 230 V
 No Load Speed: 11000 RPM



Powerhouse Bench Grinder

SKU: POW.GRI.93927783
 Model No.: PHBG5
 Rated Input Power: 350 W
 No Load Speed: 2840 RPM
 Wheel Size: 5 inch
 Voltage: 220 V



Powerhouse Bench Sander

SKU: POW.SAN.23927792
 Model No.: PHBS350
 Rated Input Power: 350 W
 No Load Speed: 1400 RPM
 Belt Size: 915 x 100 mm
 Angle: 0-45 degree
 Diameter Sanding Disc: 150 mm
 Table Size: 188 x 125 mm
 Function: Grinding, Derusting and Polishing
 Voltage: 220 V



PowerHouse Electric Blower

SKU: POW.BLO.91521173
 Model No.: PHEB23
 No Load Speed: 0-18000 RPM
 Blowing Capacity: 2.8 m³/min
 Rated Input Power: 600 W
 Frequency: 50-60 Hz
 Rated Voltage: 220-240 V



PowerHouse Electric Drill

SKU: POW.DRI.91521152
 Model No.: PHED10
 Drilling Capacity In Steel: 10 mm
 Drill Capacity: 10 mm
 Drilling Capacity In Wood: 25 mm
 Voltage: 220 V
 No Load Speed: 2600 RPM
 Rated Torque: 18 Nm
 Input Power: 300 W
 Gear Material: 40 Cr



PowerHouse Chop saw Machine

SKU: POW.CHO.81521217
 Model No.: PHCM355
 Blade Diameter: 355 mm
 No Load Speed: 3800 RPM
 Rated Input Power: 2000 W
 Frequency: 50/60 Hz
 Rated Voltage: 110/240 V
 Gear Material: 40 Cr



PowerHouse Demolition Breaker

SKU: POW.DEM.71521198
 Model No.: PHDB65
 No Load Speed: 1450 RPM
 Impact Rate: 1400 bpm
 Rated Input Power: 1300 W
 Frequency: 50/60 Hz
 Rated Voltage: 110/240 V





PowerHouse Mitre Saw

SKU: POW.MIT.82065711
Model No.: PHMS225
Disc Diameter: 255 mm
No Load Speed: 6000 RPM
Rated Input Power: 2200 W
Rated Voltage: 220 V



Powerhouse Tile Cutter

SKU: POW.MAR.73927806
Model No.: PHTC600
Length: 600 mm
Bracket: Double Rod
Laser: Yes



Powerhouse Wall Chaser

SKU: POW.WAL.23927770
Model No.: PHWC133
Blade Diameter: 133 mm
No Load Speed: 2950 RPM
Voltage: 220 V

Ingco Cut Off Saw

SKU: POW.SAW.62684878
Model No.: COS4051
No Load Speed: 2280 RPM
Power Supply: 220-240 V ~ 50/60 Hz
Rated Input Power: 3.0 kW (4HP)
Blade Diameter: 405 x 25.4 x 3 mm



Ingco Lithium-Ion Aspirator Blower

SKU: POW.BLO.43174486
Model No.: CABLI2001
No Load Speed: 10000-17000 RPM
Voltage: 20 V



Ingco Circular Saw

SKU: POW.SAW.65260951
Model No.: CS18538
No Load Speed: 4800 RPM
Input Power: 1400 W
Blade Diameter: 185 x 20 mm
Voltage: 220-240V
Frequency: 50-60 Hz
Cutting Capacity (90 Degree): 65mm
Cutting Capacity (45 Degree): 44 mm



Ingco Cordless Angle Grinder

SKU: POW.COR.75260882
Type of Product: Angle Grinder
No Load Speed: 8500 RPM
Model No.: CAGLI1001
Voltage: 20V
Disc Diameter: 100mm
Spindle Thread: M10



Ingco Fast Intelligent Charger

SKU: POW.DEM.62684630
Model No.: FCLI2001
Output Voltage: 20 V
Charge Current: 2A
Rated Input Power: 50 W
Power Supply: 110-240 V ~ 50/60 Hz



Ingco Battery Pack

SKU: POW.COR.75587126
Model No.: FBIL20011
Voltage: 20 V
Battery Type: Lithium-Ion
Battery Power: 2.0 Ah



Ingco Cordless Li-Ion Drill (without Battery Pack)

SKU: POW.COR.45587066
 Model No.: CDLI20011
 No Load Speed: 0-400/0-1500 RPM
 Power Source: Battery Powered
 Battery Power: 1.5 Ah
 Battery Type: Lithium-Ion
 Torque Setting: 15+1
 Voltage: 20 V
 Chuck Capacity: 0.8-10 mm



Ingco Cordless Li-Ion Oscillating Multi-Tool (without Battery Pack)

SKU: POW.COR.65587041
 Model No.: CMLI2001
 Voltage: 20 V
 Torque Setting: 15+1
 Battery Type: Lithium-Ion
 No Load Speed: 5000-20000 RPM
 Power Source: Battery Powered

Ingco Demolition Breaker

SKU: POW.DEM.62684630
 Model No.: PDB17008
 Rated Input Power: 1700 W
 Impact Energy: 45 J
 Features: HEX chuck system
 Max. Impact Rate: 1400 BPM
 Power Supply: 220-240 V ~ 50/60 Hz



Ingco Table Saw

SKU: POW.SAW.85261020
 Model No.: TS15007
 Input Power: 1500 W
 Voltage: 220-240 V
 Blade Size: 254 x 16 mm
 No Load Speed: 4500 RPM
 Frequency: 50-60 Hz
 Cutting Capacity (45 Degree): 60 mm
 Cutting Capacity (90 Degree): 85 mm

Ingco Miter Saw

SKU: POW.MIT.25587050
 Model No.: BMS18007
 Input Power: 1800 W
 No Load Speed: 5500 RPM
 Frequency: 50-60 Hz
 Blade Diameter: 255 mm
 Voltage: 220-240 V



Ingco Angle Polisher

SKU: POW.SAN.56410937
 Type of Product: Angle Polisher
 No Load Speed: 900-3800 rpm
 Weight: 7.5kg
 Voltage: 220-240 V
 Model No: AP14008
 Power: Input: 1400 W
 Dimension: 55x19x14 cm



Ingco Impact Drill with Chuck

SKU: POW.IMP.95778081
 Type of Product: Impact Drill
 Voltage: 220-240V~50/60Hz
 Model No: ID7508
 Input Power: 750W
 No of Load Speed: 0-3000rpm





Ingco Lithium-Ion Impact Wrench

SKU: POW.IMP.106410871
Model No: CIWLI2001
Type of Product: Impact Wrench
No Load Speed: 0-1300 0-2100 min
Weight: 2.9kg
Voltage: 20 V
Impact Rate: 0-2000 0-3300 bpm
Torque: 300 Nm
Dimension: 16x7x9 cm

Ingco Impact Drill with Variable Speed and Hammer Function

SKU: POW.IMP.85782767
Type of Product: Impact Drill
Voltage: 220-240V~50/60Hz
Model No: ID7108
Input Power: 710W
Capacity: 13 mm(Drilling)
No of Load Speed: 0-3000rpm



Ingco Electric Drill

SKU: POW.ELE.56410907
No Load Speed: 0 - 750 rpm
Type of Product: Electric Drill
Weight: 14.5kg
Dimension: 22x7x25 cm
Power: 280W
Drilling Capacity: 10 mm
Voltage: 220-240 V
Model No: ED2808



Ingco Electric Impact Wrench

SKU: POW.IMP.96410883
Model No: IW10508
Type of Product: Impact Wrench
Power: 1050W
Weight: 11kg
Voltage: 220-240 V
Battery Type: Lithium-Ion
Battery Capacity: 1.5 Ah
Capacity: Chuck: 0.8-10 mm
Dimension: 25x29x12 cm



Ingco Angle Grinder

SKU: POW.ANG.55782463
Model No: AG900282
Voltage: 220-240V~50/60Hz
Input Power: 900W
Diameter: 100 mm(Disc)
No of Load Speed: 12000rpm

SKU: POW.ANG.65782451
Model No: AG90028
Voltage: 220-240V~50/60Hz
Input Power: 900W
Diameter: 125 mm(Disc)
No of Load Speed: 12000rpm



Ingco Demolition Breaker

SKU: POW.DEM.82684611
Model No.: PDB13008
Impact Energy: 20 J
Rated Input Power: 1300 W
Max. Impact Rate: 3800BPM
Features: Anti Vibration System
Power Supply: 220-240 V ~ 50/60 Hz

SKU: POW.DEM.36410942
Model No: PDB13008
Impact Energy: 20 J
Weight: 6kg
Voltage: 220-240 V
Power: 1300W
Dimension: 45x26x12 cm



Ingco Rotary Hammer

SKU: POW.ROT.76410695
No Load Speed: 900 rpm
Impact Energy: 5 J
Weight: 5kg
Model No: RH10508
Voltage: 220-240 V
Dimension: 42x28x10 cm
Impact Rate: 4000 ipm
Power: 1050W



Ingco Circular Saw

SKU: POW.SAW.42684842
 No Load Speed: 5000RPM
 Model No: CS18568
 Power Source: Corded Electric
 Cutting Angle: 90 Degree
 Rated Input Power: 1600W
 Blade Diameter: 185 mm
 Power Supply: 220-240V~50/60Hz
 No. of Teeth: 24

Ingco Demolition Hammer

SKU: : POW.DEM.46421362
 Frequency: 50 Hz
 Weight: 10kg
 Model No: PDB15006
 Impact Rate: 1100 - 1900 ipm
 Voltage: 220-240 V
 Power: 1500W
 Dimension: 30x24x22 cm



Ingco RPM Finishing Sander

SKU: POW.SAN.53175015
 Frequency: 50-60 Hz
 Voltage: 220-240V
 Input Power: 320W
 Model No.: FS3208
 Bottom Base: 180x90 mm

Ingco Mini Drill Accessories Set for Die Grinder

SKU: POW.ROU.106421417
 Model No: AKB0501
 Type of Product: Die Grinder
 Collet Diameter: 6mm
 Weight: 1.2kg
 Dimension: 10x2.5x10 cm



Ingco Reciprocating Saw

SKU: POW.SAW.76421447
 Type of Product: Reciprocating Saw
 Voltage: 220-240 V
 No Load Speed: 900-3300 rpm
 Weight: 2.9kg
 Model No: RS8008
 Power: 750W
 Dimension: 52x18x10 cm




Ingco RPM Palm Sander

SKU: POW.SAN.103175001
 No Load Speed: 14000 RPM
 Frequency: 50-60 Hz
 Voltage: 220-240V
 Input Power: 240W
 Model No.: PS2408
 Bottom Base: 110x100 mm

Ingco RPM Electric Router

SKU: POW.ELE.33174531
 Model No.: RT160028
 Voltage: 220-240V
 Frequency: 50-60 Hz
 Collet Size: 6mm, 8mm, 12mm, 1/4Inch, 1/2Inch
 Input Power: 1600 W
 Plunge Capacity: 0 - 60 mm



Ingco Jig Saw

SKU: POW.JIG.96421473
 Model No: JS6508
 Voltage: 220-240 V
 Weight: 1.5kg
 Dimension: 22x20x7 cm
 Power: 650W





Ingco RPM Biscuit Jointer

SKU: POW.BIS.63174475
Blade Diameter: 100mm
Model No.: BJ9508
Input Power: 950W
No Load Speed: 11000 RPM
Voltage: 220-240V
Frequency: 50-60 Hz



Ingco Rotary Hammer

SKU: POW.ROT.75778163
Type of Product: Rotary Hammer
Model No: RGH9028-2
Voltage: 220-240V~50/60Hz
Input Power: 800W
No of Load Speed: 0-1200rpm



Ingco RPM Multi Function Tools

SKU: POW.BIS.63174475
Blade Diameter: 100mm
Model No.: BJ9508
Input Power: 950W
No Load Speed: 11000 RPM
Voltage: 220-240V
Frequency: 50-60 Hz



Ingco Marble Cutter

SKU: TOO.GRO.56420503
Weight: 1.6kg
No Load Speed: 13000 rpm
Power: 1400W
Model No: MC14008
Voltage: 220-240 V
Dimension: 23x22x17 cm
Cutting Capacity: 34 mm



Ingco Heat Gun

SKU: POW.HOT.25261000
Model No.: HG200038
Voltage: 220-240V
Frequency: 50-60Hz
Input Power: 2000W
Temperature: 350°C/550°C
Air Flow: 300-500 L/Min



Ingco Wall Chaser Grinder with 4 Discs

SKU: POW.WAL.105083984
No Load Speed: 9000 RPM
Voltage: 220-240V
Frequency: 50-60 Hz
Model No: WLC15008
Input Power: 1500 Watt
Spindle Thread: M14
Disc Diameter: 125 mm
No. of Pcs: 5

Ingco Plastic Tube Welding Tool

SKU: POW.PLA.75261011
Model No: PTWT8001
Voltage: 220-240V
Input Power: 800 W
Temperature: 0 - 300°C





Ingco Aspirator Blower

SKU: POW.ELE.76421435
No Load Speed: 0 - 15000 rpm
Weight: 1.3kg
Dimension: 24x22x38 cm
Power: 800W
Voltage: 220-240 V
Model No: AB8008



Ingco Air Blower

SKU: POW.BLO.16510067
Model No: AB4018
Voltage: 220-240V
Input Power: 400 W
Hose Diameter : 3 mm
Frequency : 50 Hz,
No Load Speed Filter : 13000 RPM



Ingco Air Impact Wrench

SKU: PNE.IMP.63174831
Maximum Torque: 610 Nm(450ft)
Air Pressure: 6.2bar(90psi)
Air Consumption: 142.5l/min(5.0cfm)
Length: 187 mm
No Load Speed: 7000 RPM
Model No.: AIW12562
Air Hose: 3/8 Inch



Ingco High Pressure Washer

SKU: POW.PRE.42684805
Model No: HPWR18008
Maximum Flow: 6.0 L/min
Rated Input Power: 1800W
Power Supply: 220-240V~50/60Hz
Maximum Pressure: 150 Bar



Ingco Cordless Impact Drill

SKU: POW.COR.75782585
Model No: CIDLI200215
Voltage: 20V
Impact Rate: 22500/min
Torque: 45NM
No of Load Speed: 0-400/0-1500/min
Capacity: 0.8-10mm(Chuck)



Ingco Impact Drill

SKU: POW.IMP.36412743
Type of Product: Impact Drill
No Load Speed: 0 - 3000 rpm
Frequency: 50-60 Hz
Voltage: 220-240 V
Model No: ID6808
Drilling Capacity: 13 mm
Power: 680W



Ingco Angle grinder

SKU: POW.ANG.43185470
Voltage: 220-240V~50/60Hz
Input Power: 750W
Diameter: 100mm
Model No.: AG750282
Speed: 12000 RPM



Ingco Drill Kit

SKU: POW.DRI.65260941
Frequency: 50-60Hz
Voltage: 220-240V
Model No.: HKTHP11151



Ingco Circular Saw

SKU: POW.SAW.65260951
Frequency: 50-60Hz
Voltage: 220-240V
No Load Speed: 4800 RPM
Blade Diameter: 185x20mm
Model No.: CS18538
Input Power: 1400W



Ingco Marble Cutter

SKU: TOO.GRO.56420503
Weight: 1.6kg
No Load Speed: 13000 rpm
Power: 1400W
Model No: MC14008
Voltage: 220-240 V
Blade Diameter: 110x20 mm
Dimension: 23x22x17 cm



Ingco Charger

SKU: POW.CHA.106268615
Input Voltage: 220V-240V
Current: 0.65A
Model: FCL12071
Output Voltage: 12 V
Frequency: 50/60Hz



Ingco Battery

SKU: POW.COR.95770007
Model: FBL12002
Voltage: 20V
Battery: Lithium-Ion 4.0Ah



Ingco Electric Planer

SKU: POW.ELE.26611545
Model: PL10508-1
Voltage: 220-240 Volt
Frequency: 50-60 Hz
Input power: 1050 Watt
No-load speed: 16000 RPM
Size of pad: 82 x 3 mm



Ingco Rotary Hammer

SKU: POW.ROT.56611550
Model Number : RH18008
Chuck Type : Keyless
Chuck Size : null
Speed : 800 rpm
Reverse Function : Yes

Ingco Impact drill

SKU: Ingco CIDLI1232
WEIGHT: 1.70 KGS
Voltage: 12V
No-load speed: 0-350/0-1350/min
Max.impact rate: 22500/min
Chuck capacity: 0.8-10mm
Mechanical 2-speed gear



Ingco Mixer

SKU: POW.MIX.66611576
Model No: MX11008
Voltage: 220-240V~50-60Hz
Input power: 1100W

Ingco Stainless Drill Bits Set

SKU: TOO.HAM.86611568
Model No: AKD1251
Specifications: Metal
Sizes: 1.0mm-13mmx0.5mm



Pneumatics



Pneumatics



PowerHouse Air Compressor

SKU: PNE.AIR.71518593
Model No.: PH2050
Tank Capacity: 50 l
Motor Power: 2 HP
Output Flow: 147 l/min
Pressure: 8 Bar

SKU: PNE.AIR.61518584
Model No.: PH1530
Tank Capacity: 30 l
Motor Power: 1.5 HP
Output Flow: 147 l/min
Pressure: 8 Bar



PowerHouse Oil Free Air Compressor

SKU: PNE.AIR.52875944
Model No.: TB550W-50L
Tank Capacity: 50 l
Speed: 2800 RPM
Pressure: 0.8 Mpa
Power: 1.5 kW
Voltage: 220 V
Output Flow: 230 l/min

SKU: PNE.AIR.22174003
Model No.: TB550W-25L
Tank Capacity: 25 L
Speed: 1440 RPM
Pressure: 0.8 Upa
Power: 0.55 kW
Voltage: 220 V
Noise: 48

PowerHouse Chop Saw Machine

SKU: PNE.IMP.81646300
Model No.: PH5665
Square Drive: 1 Inch
Air Consumption: 10 cfm
Free Speed: 5000 RPM
Capacity Bolt Size: 38 mm
Max. Torque: 1920 ft-lb (2600 Nm)



PowerHouse HVLP Spray Gun

SKU: PNE.SPR.31646248
Model No.: PH827P
Nozzle Size: 1.7 mm
Air Consumption: 6-11 cfm
Air Pressure: 43-58 Psi
Technology: HVLP
Cup Capacity: 600 ml
Pattern Width: 240 mm



PowerHouse Impact Wrench

SKU: PNE.IMP.71518601
Model No.: PH320
Square Drive: 1/2 Inch
Air Consumption: 4 CFM
Free Speed: 7000 RPM
Capacity Bolt Size: 14 mm
Max. Torque: 320 N-m



PowerHouse Air Hydraulic Riveter Blue

SKU: PNE.RIV.51646254
Model No.: PH4104
Blind Rivet Setting Capacity: 3/16 Inch
Air Consumption: 0.03 cfm
Air Inlet: 1/4 Inch PT
Stroke Length: 11/16 Inch
Traction Power: 720 kg
Air Hose Size: 3/8 Inch





PowerHouse Air Die Grinder Kit

SKU: PNE.DIE.81646270

Model No.: PH1206K

No. of Pieces: 16

Air Inlet: 1/4 Inch

Accessories in box: 1/4 inch Air die grinder, 5x1/4 grinding stones, 5x1/8 grinding stones, 1/8 collet, NPT Male plug, Hand



PowerHouse Micro Air Die Grinder Kit

SKU: PNE.DIE.31518637

Model No.: PH14

Air Inlet: 1/4 Inch

Accessories in box: Micro Die grinder, Mini Oiler, Oil Pot, Female connector, Hand wrenches, 10 Pcs mounted stones



PowerHouse Foam Gun (with One Nozzle)

SKU: PNE.SPR.22014355

Model No.: FC634

Pressure: 6-9 bar

Nozzle: One



Powerhouse Pneumatic Stapler

SKU: PNE.PNE.54280057

Model No.: 8016 21GA

Nail Size: 0.9 x 0.7 mm

Gauge: 21 Gauge

Max. Pressure: 8.3 Bar

Operating Pressure: 4-7 Bar

Nail Length: 6 to 13 mm

Capacity: 150 nails

Nail Length: 1/4 inch to 5/8 inch



PowerHouse Air Impact Wrench

SKU: PNE.IMP.41646293

Model No.: PH5227

Square Drive: 3/8 Inch

Air Consumption: 6 cfm

Free Speed: 9000 RPM

Capacity Bolt Size: 10 mm

Air Hose Size: 3/8 Inch

Air Inlet: 1/4 Inch PT

Max. Torque: 130 ft-lb (176 Nm)



Powerhouse Brad Nailer

SKU: PNE.PNE.94280040

Model No.: F32 18GA

Max. Pressure: 8.3 Bar

Nail Size: 1.25 x 1.00 mm

Operating Pressure: 4-7 Bar

Nail Length: 10 to 32 mm

Capacity: 100 nails

Gauge: 18 Gauge

Nail Length: 3/8 inch to 1-1/4 inch

Powerhouse 2/2 Solenoid Valve

SKU: PNE.SOL.55440290

Model No.: 2V-025-08 9

Valve Type: 2/2

Coil Voltage: 220 VAC

Applicable Temperature: 5-50C

Thread Size: 1/4 Inch

Working Medium: 40 Micron Filtered

Lubricated Air



Powerhouse 5/2 Solenoid Valve

SKU: PNE.SOL.85440300

Model No.: 4V-210-08

Valve Type: 5/2

Coil Voltage: 220 VAC

Thread Size: 1/4 Inch

Working Pressure: 2-8 bar

SKU: PNE.SOL.95440313

Model No.: 3V-310-10

Valve Type: 3/2

Coil Voltage: 220 VAC

Thread Size: 3/8 Inch

Working Pressure: 40 Micron Filtered Lubricated Air

Applicable Temperature: 5-50C





Pneumatics



Fulcrum 2.5 HP Air Compressor

SKU: PNE.AIR.54347762 Output Flow: 147 l/min
Model No: TB2030BM Pressure Rating: 8 Bar
Motor Power: 2.5 HP RPM: 2800 RPM



Fulcrum 3 HP Air Compressor

SKU: PNE.AIR.24347772 Output Flow: 147 l/min
Model No: TB3050BM Pressure Rating: 8 Bar
Motor Power: 3 HP RPM: 2800 RPM

Pneumatics

Ingco Mini Grinder

SKU: PNE.DIE.32684644
Model No: MG1309
Rated Input Power: 130 W
Collet Size: 3.2 mm
No Load Speed: 10000-32000 RPM
Power Supply: 220-240 V ~ 50/60 Hz



Ingco 2-3.5 bar HVLP Spray Gun

SKU: PNE.SPR.43175054
Model No: ASG1061
Motor Power: 1.4 mm
Pattern Width: 180-250 mm
Operating Pressure: 2-3.5 Bar
Air Consumption: 4.2-7.1 cfm (119-200l/min)
Paint Capacity: 600 ml



Ingco Rotary Sander

SKU: PNE.SAN.35782988
Model No: RS3208
Voltage: 220-240V~50/60Hz
Input Power: 320W
No of Load Speed: 12000rpm
Diameter: 125 mm(Sanding Pad)



INGCO Metal HVLP Floor Based Electric Paint Spray Gun

SKU: PNE.SPR.62684915
Model No: SPG3508
Spraying Pressure: 0.1-0.2 Bar
Max. Viscosity: 50DIN-s
Rated Input Power: 450 W
Power Supply: 220-240 V ~ 50/60 Hz
Container Capacity: 800 ml
Max. Flow: 380 ml/min





Ingco HLVP Floor Based Spray Gun

SKU: PNE.SPR.53175046
Model No: SPG5008
Voltage: 220-240 V
Spraying Pressure: 0.1 - 0.2 Bar
Max. Viscosity: 50 DIN-s
Input Power: 500 W
Frequency: 50-60 Hz
Container Capacity: 800 ml
Max. Flow: 850 ml/min

SKU: PNE.SPR.26410725
Voltage: 220-240 V
Pressure: 0.1-0.2 Bar
Model No: SPG5008
Flow Rate: 850 ml/min
Dimension: 28x24x23 cm
Power: Input: 500 W

Ingco Auto Air Compressor

SKU: PNE.AIR.66410712
Pressure: 160 PSI
Voltage: 20V
Model No: CACLI2002
Dimension: 255x135x205 mm
No of Bar: 11 BAR
Display Type: Digital Display



Ingco Electric Air Sander

SKU: PNE.SAN.85782963
Model No: APS1512
No of Load Speed: 10500 rpm
Diameter: 150 mm(Sanding Pad)

Ingco Spray Gun Plastic

SKU: PNE.SPR.55782990
Model No: AMSG028
Material: Plastic body



Ingco Spray Gun

SKU: PNE.SPR.92684901
Paint Capacity: 400cc
Model No: ASG4041
Pattern Width: 180-250 mm
Nozzle: 1.5 mm



Ingco Pneumatic Air Stapler

SKU: PNE.PNE.63185838
Capacity: 100PcsSize: 6-13mm
Model No.: APS06131-3
Staple crown: 11.2mm

SKU: PNE.SPR.43175054
Type of Product: HVLP Spray Gun
Paint Capacity: 600 ml
Standard Nozzle: 1.4 mm
Operating Pressure: 2-3.5bar
Pattern Width: 180-250 mm
Model No.: ASG1061



Pumps



Pumps



Powerhouse Water Motor Pump

0.5 HP

SKU: PUM.DOM.52840278
Model No: PHWMP-0.5
Head: 10-25 m
Power: 0.5 HP
Phase: Single Phase
Speed: 2880 RPM
Suc x Del: 25 x 25 mm
Impeller Material: Brass

1 HP

SKU: PUM.DOM.42840280
Model No: PHWMP-1
Head: 10-30 m
Power: 1 HP
Phase: Single Phase
Speed: 2880 RPM
Suc x Del: 25 x 25 mm
Impeller Material: Brass



PowerHouse Sewage Submersible Pump

0.5 HP

SKU: PUM.SEW.32874506
Model No: ECO 40
Power: 0.5 HP
Power: 0.37 KW
Phase: Single Phase
Discharge Range: 0-144 l/min
Delivery Size: 50 mm

1 HP

SKU: PUM.SEW.62874517
Model No: ECO 75
Power: 1 HP
Power: 0.75 kW
Phase: Single Phase
Discharge Range: 0-200 l/min
Delivery Size: 50 mm

1.5 HP

SKU: PUM.SEW.102874522
Model No: ECO 110
Power: 1.5 HP
Power: 1.1 kW
Phase: Single Phase
Discharge Range: 0-250 l/min
Delivery Size: 50 mm

Powerhouse Submersible Pump (with Control Panel)

SKU: PUM.SUB.75372463
Model No: PHSPC -1
Power: 1 HP
Power: 0.75 kW
Phase: Single Phase
Control Panel: Yes

SKU: PUM.BOR.96290906
Borewell Size: 4 Inch (100 mm)
Motor Type: Oil Filled
Phase: Single Phase
Efficiency (%): 76-84 %
Voltage: 180 - 220V

SKU: PUM.BOR.86290933
Suitable For: 100mm & above bore dia.
Borewell Size: 4 Inch (100 mm)
Motor Type: Oil Filled
Phase: Single Phase
Voltage: 180 - 220V
Applicable for: Domestic Usage
Weight: 13 Kg
Dimensions: 55(L)x25x(B)x10x(H) cm

SKU: PUM.BOR.86059693
Suitable For: 100mm & above bore dia.
Borewell Size: 4 Inch (100 mm)
Motor Type: Oil Filled
Phase: Single Phase
Voltage: 180 - 220V
Applicable for: Domestic Usage
Weight: 13 Kg
Dimensions: 55(L)x25x(B)x10x(H) cm





PowerHouse single phase Submersible Pump

SKU: PUM.BOR.86290911
Borewell Size: 4 Inch (100 mm)
Phase: Single Phase
Voltage: 180 - 220V
Frequency: 50-60 Hz
Applicable for: Domestic Usage
Stage: 10
Weight: 13 Kg
Dimensions: 55(L)x25x(B)x10x(H) cm
Power (KW): 1.1 KW

SKU: PUM.BOR.66290924
Head (m): 0-60 m
Delivery size (mm): 32
Borewell Size: 4 Inch (100 mm)
Phase: Single Phase
Voltage: 230V
Frequency: 50-60 Hz



PowerHouse Sewage Submersible Pump

SKU: PUM.SEW.75587136
Model No: QDP-10-0.55
Head: 7 m
Power: 0.75 Hp
Water Flow Rate: 10500 l/hr
Delivery Size: 63 x 40 mm
Material: Impeller: Nylon Plastic, Shaft: Carbon Steel



Hand Tools and Welding



Hand Tools and Welding



Powerhouse Adjustable Pipe Wrench

SKU: HAN.ADJ.25511191
Model No: CG10118350-11
Jaw Capacity: 13-40 mm
Size: 14 inch



Powerhouse Fibreglass Handle Hammer

SKU: HAN.BAL.85511054
Model No: CG10002-20-11
Handle Material: Fiber glass
Size: 14 inch



Powerhouse Bimaterial Handle Half Round Rasp

SKU: HAN.SAW.95511185
Model No: CG10545300-16
Size: 300 mm



Powerhouse Files Set (3 Files)

SKU: HAN.MAC.85511132
Model No: CG10589-11
Size: 8 inch

PowerHouse Hydraulic Shop Press (with Gauge)

SKU: HAN.HAN.42190904
Model No: PS158
Capacity: 10 Ton
Max. Displacement: 358 mm
Working Range: 135 mm



PowerHouse Hydraulic Shop Press (without Gauge)

SKU: HAN.HAN.92190891
Model No: PS179
Capacity: 12 Ton
Max. Displacement: 650 mm
Working Range: 130 mm



Powerhouse Wood Handle F-Clamp

SKU: HAN.FCL.45577005
Model No: CG10433-100
Size: 120 X 500 cm

SKU: HAN.FCL.95576991
Model No: CG10433-80
Size: 80 X 300 cm



Powerhouse Mitre Box (with 25cm Back Saw)

SKU: HAN.POW.25511207
Model No: CG10363-11
Size: 25cm





Powerhouse M Shovel-Axe Pickaxe Fiberglass Handle

SKU: HAN.TUB.35511120
Model No: CG10185-11
Weight: 630 gms



Powerhouse Bimaterial Handle Half Round Rasp

SKU: PHAN.RAS.65511171
Model No: CG10449-807
Size: 8 inch



Powerhouse Hammer with Fibreglass Handle

SKU: HAN.TUB.35511120
Model No: CG102370
Weight: 1000 g
Handle Material: Fibre Glass



Powerhouse Claw Hammer with Magnetic Fiberglass Handle

SKU: HAN.CLA.85511066
Model No: Model No.
Weight: 1000 g
Size: 50 cm
Handle Material: Magnetic Fiberglass

Powerhouse Manual Hydraulic Integral Pipe Bender

SKU: HAN.PIP.54144582
Model No: HHW-2J
Bending Range (O.D.): 21.3-60
Ram Stoke: 250 ton
Hydraulic Ram Output: 13 ton
Bending Shoes: 1/2" 3/4" 1" 1 1/4" 1 1/2" 2"



Powerhouse Pipe Cutter (Mini)

SKU: HAN.PIP.105511144
Model No: CG10940-11
Motor Power: 1.4 mm
Size: 3-22 mm



Powerhouse Drill Bits Set (100 Pcs.)

SKU: HAN.SCR.75511093
Model No: CG10341-04
Size: 1/4 inch
Set: 100 Pcs Bit Set



Powerhouse CRV Socket Set (46 Pcs.)

SKU: HAN.SOC.95511114
Model No: CG10067-04
Contains:
• 1 x 1/4" adaptor
• 1 x 1/4" sliding T bar
• 1 x 1/4" spinner handle
• 1 x 150mm flexible extension
• 1 x universal joint 1/4"
• 13 x 1/4" sockets 4 14mm
• 2 x 1/4" extensions 50mm 100mm
• 21 x 1/4" bits socket
• 4 x hexagonal keys
• 1/2 inch square Drive
Set of: 46 Pcs



Powerhouse CRV Socket Set (111 Pcs.)

SKU: HAN.SOC.75511101
Model No: CG10066-04
Contains:
• 1 x 1/2" extension 125mm
• 1 x 1/4" spinner handle
• 1 x arrangement case
• 1 x converter 3/8" x 1/2"
• 17 x bits 8mm x 30mm
• 18 x 1/4" bits socket
• 2 x 1/2" spark plug sockets 16mm 21mm
• 2 x 1/4" extensions 50mm 100mm

• 2 x quick ratchet handle 1/2" 1/4"
• 2 x sliding T bar 1/4" 1/2"
• 2 x universal joint 1/2" 1/4"
• 5 x 1/2" deep sockets 1422mm
• 5 x 1/4" sockets E4E8
• 6 x hexagonal keys
• 8 x 1/2" sockets E10E24
• 8 x 1/4" deep sockets 613mm
• 1/2 inch square Drive
• 111 Pcs
Size: 13 x 1/4" sockets 414mm
Size of: 17 x 1/2" sockets 1032mm





Hand Tools and Welding



Powerhouse Plastic Double Side Organizer

SKU: HAN.TOO.105511211
Model No: CG11218-11



Powerhouse Plastic Tool Box

SKU: HAN.TOO.55511222
Model No: Model No.
Dimensions: 41.5 x 21 x 19 cm
Size: 16 inch



Powerhouse Hammer

SKU: HAN.WOO.105511080
Model No: CG10355-34-11
Size: 34 mm
Material: Nylon Head with wood handle



Powerhouse Hammer

SKU: HAN.WOO.75577017
Model No: CG102300
Length: 200 mm
Weight: 400 g
Handle Material: Wood

Powerhouse Ratchet Torque Wrench

SKU: HAN.TOR.35188068
Model No: YD-350
Material: Carbon Steel
Range: 65-350 Nm
Length: 550 mm
Drive Size: 1/2 inch
Accuracy: ± 0.03

SKU: HAN.TOR.95188051
Model No: YD-210
Material: Carbon Steel
Range: 20-210 Nm
Length: 490 mm
Drive Size: 1/2 inch
Accuracy: ± 0.03



Powerhouse Ball Hammer

SKU: HAN.BAL.75511071
Weight: 1000 gm
Model No: CG10354680-11
Handle: Fiber Glass



Hand Tools and Welding



Fulcrum Cantilever Tool Box

SKU: HAN.CAN.93869945
Model No: FCTB 4
Dimensions: 420 x 205 x 207 mm
Thickness: 0.4 mm
Lid Thickness: 0.5 mm
Connecting Strip Thickness: 1.2 mm



Fulcrum Tool Cart 3 Tray

SKU: HAN.TOO.33869915
Model No: JS-19
Capacity: 100 kg
Steel Thickness: 0.6 mm
Trays: 3
Surface Treatment: Powder Coating
Wheel Size: 3 inch
Wheels: PP Wheel
Dimensions: 702 x 353 x 664 mm
Size With Castor: 702 x 353 x 755 mm
Colour: Red



Fulcrum Magnetic Lifter

SKU: HAN.MAG.43063296
Model No: PML-6
Capacity: 600 kg
Cylindrical Lifting Strength: 300 kgf
Max. Pull-Off Strength: 1800 kgf
Treatment: 3 Times Force Strength Chroming Treatment
SKU: HAN.MAG.73063302
Model No: PML-10
Capacity: 1000 kg
Cylindrical Lifting Strength: 500 kgf
Max. Pull-Off Strength: 3000 kgf
Treatment: 3 Times Force Strength Chroming Treatment





Fulcrum Tool Cart 3 Tray

SKU: HAN.TOO.33869905
 Model No: JS-15
 Capacity: 100 kg
 Steel Thickness: 0.7 mm
 Trays: 3
 Surface Treatment: Powder Coating
 Wheel Size: 3 inch
 Wheels: Rubber Wheels
 Dimensions: 701 x 354 x 665 mm
 Size With Castor: 701 x 354 x 756 mm
 Colour: Red



Fulcrum 2 Drawer Tool Trolley (with Cabinet)

SKU: HAN.TOO.83869951
 Model No: JS-306B
 Cabinet Size: 630 x 370 x 455 mm
 First Drawer Size: 530 x 345 x 60 mm
 Second Drawer Size: 530 x 345 x 80 mm
 Size With Castor: 629 x 397 x 812mm
 Wheels: PP Wheel
 Surface Treatment: Powder Coating
 Wheel Size: 3 inch
 Door Thickness: 0.5mm
 Steel Thickness: 0.7 mm
 Dimensions: 629 x 397 x 720 mm



Fulcrum 7 Drawer Tool Trolley

SKU: HAN.TOO.103869930
 Model No: JS-32B7
 No. of Drawer: 7
 Wheel Size: 4 inch
 Wheels: PP Wheel
 Surface Treatment: Powder Coating
 Small Drawer Size: 510 x 395 x 55 mm
 Big Drawer Size: 510 x 395 x 130 mm
 Dimensions: 620 x 460 x 830 mm
 Colour: Red



Fulcrum 5 Drawer Tool Trolley

SKU: HAN.TOO.83869925
 Model No: JS-32B5
 No. of Drawer: 5
 Wheel Size: 4 inch
 Wheels: Rubber Wheels
 Surface Treatment: Powder Coating
 Small Drawer Size: 510 x 395 x 55 mm
 Big Drawer Size: 510 x 395 x 130 mm
 Dimensions: 620 x 460 x 830 mm
 Colour: Red

PowerHouse Copper Winding Heavy Duty Arc Welding Machine


SKU: WEL.ARC.52065797
 Model No: PHAW200
 Output Current: 200 A
 Power Factor: 0.8
 Insulation Grade: F
 Electrode Thickness: 1.6-5 mm
 No Load Voltage: 655 V
 Phase: 1 Phase
 Frequency: 50 Hz
 Duty Cycle: 60%
 Supply Voltage: 220 V
 Housing Protection Grade: IP21





Ingco Tool Kit with Electric Drill and Screwdriver

SKU: POW.DRI.85769967
 Frequency: 50/60 Hz
 Voltage: 220-240 Volts
 Chuck Size: 13 mm
 Model: HKTHP11081



Ingco Brad Nail

SKU: PNE.PNE.76611585
 Model: ANA18201
 Load Capacity: 5000 pcs
 Brad Size: 20 mm

SKU: HAN.ACC.75782426
 Package Contents: 5000pcs/color box
 Size: 13mm (Staple)
 Model No: AST20131



Ingco Accesories for Mini Drill

SKU: POW.ROU.96611592
 Model: AKMG2501
 Aspects: 250pcs accessories of mini drill
 76pcs Cutting disk
 60pcs Sanding paper
 1pcs Rubber grinding wheel
 10pcs Grinding wheel with shank
 4pcs Rubber polishing wheel
 5pcs Felt wheels
 1pcs Felt wheel point
 1pcs Cloth wheel
 39pcs Sanding band
 6pcs Brush
 7pcs Diamond bits
 2pcs Engraving bit
 4pcs mandrel bits

Ingco Screwdriver Bits Set

SKU: POW.DRI.53183587
 Model: AKSD08301
 Set Includes: PZ0-1-2-2-3,
 PH0-1-2-2-3-4, SL3-4-5-6,
 T10-15-20-25-27-30-40



Cleaning



POWERWASH

Cleaning



POWERWASH Vacuum Cleaner

SKU: CLE.VAC.62179152

Model No: PW-VC-070

Capacity: 70 l

Power: 2400 W

Function: Dry/Wet

Voltage: 220 V

Colour: Red, Silver

SKU: CLE.VAC.42179163

Model No: PW-VC-080

Capacity: 80 l

Power: 3600 W

Function: Dry/Wet

Voltage: 220 V

Colour: Red, Silver



POWERWASH Vacuum Cleaner

SKU: CLE.VAC.31517385

Model No: PW-VC-020

Capacity: 20 l

Power: 1400 W

Voltage: 220 V

Function: Dry/Wet

Container Material: Plastic

Colour: Yellow



POWERWASH Vacuum Cleaner

SKU: CLE.VAC.32179141

Model No: PW-VC-035

Capacity: 35 l

Power: 1500 W

Voltage: 220 V

Function: Dry/Wet

Colour: Yellow

POWERWASH High Pressure Washer (1600 W)

SKU: CLE.PRE.22179136

Model No: PW-M28

Flow Rate: 8 l/min

Max. Pressure: 120 Bar

Power: 1600 W

Motor Type: Induction Motor

Working Pressure: 80 Bar

Voltage: 220 V

Dimensions: 41 x 22 x 30 cm



POWERWASH High Pressure Washer (1650 W)

SKU: CLE.PRE.32823396

Model No: QL-1650B

Flow Rate: 6.5 l/min

Max. Pressure: 120 Bar

Power: 1650 W

Motor Type: Induction Motor

Rated Pressure: 80 Bar

Speed: 2800 RPM

Voltage: 220 V



Powerwash High Pressure Power Sprayer

SKU: CLE.PRE.53146602

Model No: PW 280

Flow: 10 Litre/Min

Power: 1600 W

Max. Pressure: 80 Bar (8 MPA)

Motor: Induction Motor

System: Auto Suction System

Voltage: 220 V

Accessories: "Short Spray Gun with Adjustable Spray

2 Meter Cable

5 Meter Outlet Hose

Quick Connector

2 Meter Inlet Hose + Filter





Cleaning

Fulcrum HDPE Waste Bin



SKU	Model No.	Capacity (l)	Dimension (mm)	Lid	Material	Standard Accessories	Wall Thickness (mm)	Color
CLE.WAS.105188137	60B-6	60 l	415 x 410 x 696	Plastic	HDPE	No Wheel	N/A	Blue,
CLE.WAS.65188104	120G-14	120 l	575 x 475 x 930	Plastic	HDPE	2 Wheel	3.5	Green
CLE.WAS.85188090	240H2-19	240 l	735 x 580 x 1000	Plastic	HDPE	2 Wheel	3	Blue
CLE.WAS.95188128	60B-6	60 l	415 x 410 x 696	Plastic	HDPE	No Wheel	N/A	Green
CLE.WAS.95188111	120G-14	120 l	575 x 475 x 930	Plastic	HDPE	2 Wheel	3.5	Blue
CLE.WAS.95188088	240H2-19	240 l	735 x 580 x 1000	Plastic	HDPE	2 Wheel	3	Green



Cleaning

Incco Cordless Li-Ion Car Pressure Washer (without Battery Pack)

SKU: CLE.PRE.45587117
 Model No: CPWLI2008
 Battery Power: 2.0 Ah
 Water Flow Rate: 2.2 l/min
 Voltage: 20 V
 Pressure: 24.8 Bar
 Power Source: Battery Powered
 Battery Type: Lithium-Ion



Incco Cordless Li-Ion Vacuum Cleaner (without Battery Pack)

SKU: CLE.VAC.55587085
 Model No: CVLI2005E
 Battery Type: Lithium-Ion
 Pressure: ≥8.0KPa
 Voltage: 20 V
 Suction Hose Length: 1.5 m
 Dust Capacity: 20 l
 Suction Hose Diameter: 32 mm
 Power Source: Battery Powered



Incco Vacuum Cleaner

SKU: CLE.VAC.85783010
 Voltage: 220V-240V~50/60Hz
 Air Flow: 1.9CBM/Min
 Model No: VC14301
 Input Power: 1400W
 Vacuum Pressure: 16-18 KPa



Incco Foam Producer

SKU: PNE.SPR.106611603
 Model No: AMFP4002
 Capacity : 400mL
 Dimension :125x85x196mm



Boomjoy Steam Mop

SKU: CLE.DUS.35302511
 Model No: ALE-001
 Rated Power: 1300 W
 Preheat Time: 15 sec
 Steam Temperature: 110 °C
 Cord Length: 3.5 m
 Tank Volume: Rated Voltage



Testing and Measuring Instruments



Testing and Measuring Instruments

Fulcrum Electronic Platform Scale

SKU: TES.BEN.44144430
Model No: YH-618T-S
Capacity: 60-100 kg
Material: Iron steel+plastic
Display Screen: LCD
Stabilization: 3 second
Dimensions: 30 x 34 x 41 cm
Tare Range: 100% of full scale capacity



Fulcrum Electronic Weighing Scale

SKU: TES.BEN.64144427
Model No: YH502
Capacity: 5-60 kg / 35 l
Display Screen: LCD or LED
Stabilization: 3 second
Pan Size: 33 x 24 cm
Dimensions: 33 x 33 x 12.5 cm
Tare Range: 100% of full scale capacity
Material: Alloy plastic + stainless steel pan



Fulcrum Vernier Height Gauge

SKU: TES.HEI.104144501
Model No: HG-11
Graduation: 0.02 mm
Resolution: 0.02 mm
Material: Stainless Steel
Range: 0-300 mm
Accuracy: ± 0.03
Imperial: 1.00E-03



Fulcrum Digital Height Gauge

SKU: TES.HEI.44144516
Model No: HG-21
Range: 0-300 mm
Resolution: 0.01mm
Graduation: 0.01 mm
Accuracy: ± 0.03
Material: Stainless Steel
Imperial: 1.00E-03



Fulcrum Digital Multimeter

SKU: TES.MUL.24144556
Model No: DT830B
DC Voltage: 0-200mV/0.25%-2-20-200-1kV/0.5%
AC Voltage: 0-200V-750V/1.2%
Display Screen: LCD
Maximum Reading: 1999



Fulcrum Digital Multimeter

SKU: TES.MUL.64144532
Model No: DT838
DC Voltage: 1000 V
AC Voltage: 750 V
Power Supply: 6F22 Or 1604 9 V
Resistance: 200-2000K
Cable Length: 65cm/ 25.59 Inch



Fulcrum Digital Multimeter

SKU: TES.MUL.74144540
Model No: A830L
DC Voltage: 200/500mV (1.2%+10)
Audible Continuity Test: Yes
Display Screen: LCD
No. of Counts: 2000



Fulcrum Infrared Thermometer

SKU: TES.THE.44144603
Model No: DT8550BC
Temperature Range: $-50^{\circ}\text{C} \sim 550^{\circ}\text{C}$ ($-58 \sim 1022^{\circ}\text{F}$)
Emissivity: 0.95
Response Time Wavelength: 500ms(8-14) μm
Resistance: 200-2000K
Resolution: 0.1C or 0.1F
Distance Spot Ratio: 12:1
Power: AAA Battery x2Pcs
Accuracy: $\pm 2\%$ or 2°C



Powerhouse Digital Measure Wheel

SKU: TES.MEA.35408776

Model No: DIGI 160

Accuracy: $\pm 0.5\%$

Wheel Diameter: 6 inch

Wheel Diameter: 160 mm

Min. Display Value: 0.1m/0.1ft

Max. Measurement Range: 0-9999.9m/ft

Power Supply: 3V (2 Batteries, No.7)

Material: PC, ABS & POM



Powerhouse Mechanical Measure Wheel

SKU: TES.MEA.85408781

Model No: J159

Accuracy: $\pm 0.5\%$

Wheel Diameter: 6 inch

Wheel Diameter: 159 mm

Min. Display Value: 0.1 m/0.1 ft

Max. Measurement Range: 0-9999.9 m/ft

Rod Diameter: 16/19/22 mm

Folding Length: 440 mm

Material: PC, ABS & POM

Habotest Dual Type Digital Clamp Meter (Mini)

SKU: TES.DIG.34144443

Model No: HT206A

DC Voltage: 600 V

Resistance: 6k/60k

AC Voltage: 6V/60V/600V/600V

AC Voltage Accuracy: (1.0%+5)

Resistance Accuracy: (1.0%+3)

DC Voltage Accuracy: (0.5%+3)

Temperature Range: -40C~1000C degree celcius



UNI-T Digital Clamp Meter

SKU: TES.MUL.64144566

Model No: UT-207

DC Voltage: 600 V

Power Supply: 9V battery (6F22)

Resistance: 66 M

Frequency: 66 MHz

DC Current: 1000 A

AC Current: 1000 A

AC Voltage: 600 V

Display: 47 x 30 mm



UNI-T Clamp Meter (Mini)

SKU: TES.MUL.24144570

Model No: UT-210A

AC Current: 200 A

No. of Counts: 2000

Jaw Opening: 16 mm

Power Supply: 1.5V battery (R03) x 2

Display: 39.3 x 26.5 mm



Noyafa Laser Distance Meter



50 m

SKU: TES.DIS.74144460
 Model No: NF271
 Measuring Range: 50 m
 Display Screen: FSTN LCD Screen
 Measurement Accuracy: 1.5 mm
 Operating Temperature: 0°C - 40°C
 Type of Battery: 3 x 1.5 AAA Batteries
 Laser Type: 620-680nm<1mW

80 m

SKU: TES.DIS.54144481
 Model No: NF272L
 Measuring Range: 80 m
 Display Screen: FSTN LCD Screen
 Measurement Accuracy: 1.5 mm
 Type of Battery: 850mAh lithium Battery
 Historical Data: 99 Groups
 Laser Type: 620-680nm<1mW
 Automatic Shutdown: After 2 minutes of inactivity
 Laser Off: After 30 seconds of inactivity

60 m

SKU: TES.DIS.24144470
 Model No: NF272L
 Measuring Range: 60 m
 Display Screen: FSTN LCD Screen
 Measurement Accuracy: 1.5 mm
 Type of Battery: 850 mAh lithium Battery
 Historical Data: 99 Groups
 Laser Off: After 30 seconds of inactivity
 Automatic Shutdown: After 2 minutes of inactivity

100 m

SKU: TES.DIS.94144491
 Model No: NF272L
 Measuring Range: 100 m
 Display Screen: FSTN LCD Screen
 Measurement Accuracy: 1.5 mm
 Historical Data: 99 Groups
 Type of Battery: 850 mAh lithium Battery
 Automatic Shutdown: After 2 minutes of inactivity
 Laser Off: After 30 seconds of inactivity

ZOYI Auto Digital AC/DC Clamp Meter

SKU: TES.DIG.84144452
 Model No: ZTQB9
 DC Voltage: 6.000V/60.00V/600.0V
 Resistance: 60.00kΩ/600.0kΩ/6.000MΩ
 AC Current Accuracy: (2.0%+30)
 DC Voltage Accuracy: (0.5%+3)
 DC Current Accuracy: (2.0%+30)
 Frequency: 6.000Hz/60.00Hz/600.0Hz/6kHz/
 60kHz/600kHz/6MHz/10MHz

DC Current: 60.00A/600.0A
 AC Current: 60.00A/600.0A
 AC Voltage: 6.000V/60.00V/600.0V
 Resistance Accuracy: (0.5%+3)
 AC Voltage Accuracy: (1.0%+3)
 Size: 172 x 64 x 32 mm
 Temperature Range: -30°C ~ 1000°C / -22°C ~ 1832°C
 Resistance Accuracy: (0.5%+3)



Furniture, Hospitality and Food Service



Furniture, Hospitality and Food Service



U Meister 4-Slice Toaster

SKU: FUR.FOO.25438732
Model No: HET-4
Capacity: 4 slice
Weight: 4 kg
Power: 2.3 kW
Dimensions: 370 x 210 x 225 mm



Umeister Tank 1-Basket Electric Fryer

SKU: FUR.FOO.95438722
Model No: HEF-81
Capacity: 6 l
Power: 2.5 kW
No. of Basket: 1
Dimensions: 285 x 450 x 310 mm



U Meister Pink Candy Floss Machine

SKU: FUR.FOO.95438718
Model No: HEC-03
Power: 0.9 kW
Weight: 10 kg
Dimensions: 500 x 500 x 520 mm



U Meister Waffle Baker

SKU: FUR.FOO.45438775
Model No: ZWB-01
Voltage: 220 V 50 Hz
Power: 1200 W
Weight: 6 kg
Temperature Control: 50~300

U Meister Popcorn Machine

SKU: FUR.FOO.45438748
Model No: HP-6A
Capacity: 6 Oz
Power: 1.44 kW
Weight: 16 kg
Dimensions: 560 x 420 x 760 mm



U Meister Manual Cup Sealing Machine

SKU: FUR.FOO.95438757
Model No: SL-802D
Voltage: 220 V 50 Hz
Power: 300 W
Maximum Cup Height: 150 mm
Weight: 8 kg
Sealing Speed: 400~500 times/hour



U Meister Electric Ice Crusher

SKU: FUR.FOO.95438705
Model No: HCC-6P
Capacity: 65 kg/hr.5%
Weight: 5.5 kg
Rotation Speed: 1450 RPM
Power: 300 W



U Meister Semi-Auto Sealing Machine

SKU: FUR.FOO.55438766
Model No: SL-863
Voltage: 220 V 50 Hz
Power: 300 W
Weight: 9 kg
Dimensions: 270 x 420 x 683 mm
Sealing Speed: 400~500 times/hourmm



Automotive Maintenance and Accessories



Automotive Maintenance and Accessories

Fulcrum Hydraulic Bottle Jack



SKU	Model No.	Capacity	Max Height	Min Height	Lifting Height	Adjust Height
AUT.CAR.102014324	FC008	20 Ton	425 mm	225 mm	—	—
AUT.CAR.32014310	FC001	2 Ton	278 mm	278 mm	—	—
AUT.CAR.102190873	PS010	10 Ton	385 mm	200 mm	125 mm	60 mm
AUT.CAR.72190862	PS005	5 Ton	355 mm	185 mm	110 mm	60 mm

Fulcrum Hydraulic Floor Jack



SKU: AUT.CAR.32014334
Model No: FC069
Capacity: 3 Ton
Maximum Height: 470 mm
Min. Height: 140 mm



Fulcrum Loading Capacity Car Creeper (without Light)

SKU: AUT.CAR.55343508
Model No: FCC-150
Loading Capacity: 150 kg
Size: 40 Inch
Material: HDPE
Wheel Size: 3 Inch
Overall Size: 102 x 47.5 x 11.5cm
Wheel Type: Polyurethane Wheel



Fulcrum Rubber Chock

SKU: AUT.STO.95343495
Model No: GT-10P
Dimensions: 219 x 123 x 106 mm
Material: HDPE
Loading Capacity: 2 Ton
Note: Chock comes without Rope



Fulcrum Rubber Chock

SKU: AUT.STO.105343484
Model No: GT-02P
Dimensions: 210 x 87.5 x 100 mm
Material: TPR



Fulcrum Rubber Chock

SKU: AUT.STO.105343473
Model No: GT-01R
Dimensions: 190 x 100 x 150 mm
Material: Rubber



Automotive Maintenance and Accessories



Ingco Cordless Li-Ion Vacuum Cleaner (without Battery Pack)

SKU: AUT.CAR.35587074
Model No: CVLI2001
Pressure: ≥7.0 KPa
Dust Capacity: 0.7 l
Voltage: 20 V
Power Source: Battery Powered
Battery Type: Lithium-Ion



Ingco Auto Air Compressor

SKU: AUT.TYR.82684923
Model No: AAC1408
Max. Pressure: 140 PSI (10 Bar)
Dust Capacity: 0.7 l
Max. Air Flow: 35 L/min
Power Supply: DC 12V



Ingco Air tire inflating gun

SKU: PNE.SPR.106611603
Model No.: ATG0601
Max pressure : 12 Bar(174 PSI)
Aspects: Use both oil-based paints and water based paints in this air spray gun

Ingco Auto Air Compressor

SKU: POW.AIR.73174426
Voltage: 20V
Model No.: CACLI2001
Maximum Pressure: 150PSI/10BAR



To become our chanel partner, Contact:

 dealersales@industrybuying.com

 +91 8657885673

 +91 8448449073

 industrybuying.com

Tooling and Cutting



Tooling and Cutting



Powerhouse Diamond Hole Saw Cutter

SKU	Model No.	Size	Shank Diameter	Overall Length
TOO.HOL.105583506	TC-H1019	30 mm	8 mm	55 mm
TOO.HOL.35583516	TC-H1027	50 mm	10 mm	55 mm
TOO.HOL.45583401	TC-H1003	5 mm	5 mm	50 mm
TOO.HOL.45583486	TC-H1012	20 mm	8 mm	50 mm
TOO.HOL.55583450	TC-H1008	14 mm	6 mm	50 mm
TOO.HOL.65583422	TC-H1005	8 mm	6 mm	50 mm
TOO.HOL.65583435	TC-H1006	10 mm	6 mm	50 mm
TOO.HOL.85583414	TC-H1004	6 mm	6 mm	50 mm
TOO.HOL.85583492	TC-H1016	25 mm	8 mm	55 mm
TOO.HOL.95583443	TC-H1007	12 mm	6 mm	50 mm
TOO.HOL.95583461	TC-H1010	16 mm	6 mm	50 mm
TOO.HOL.95583475	TC-H1011	18 mm	6 mm	50 mm



PowerHouse Electric Concrete Vibrator

SKU: TOO.ELE.101521251
 Model No: PHEV65
 Length: 1.5 m
 No Load Speed: 1300 RPM

Diameter: 35 mm
 Rated Input Power: 600 W
 Rated Voltage: 220 V



Powerhouse SDS Plus Hammer Drill Bit

SKU	Model No.	Size	Diameter	Overall Length
				210 mm
TOO.MAS.105583358	SDS10210	10 x 210 mm	10 mm	110 mm
TOO.MAS.25583290	SDS10110	10 x 110 mm	10 mm	260 mm
TOO.MAS.25583370	SDS8260	8 x 260 mm	8 mm	160 mm
TOO.MAS.35583327	SDS10160	10 x 160 mm	10 mm	260 mm
TOO.MAS.35583384	SDS10260	10 x 260 mm	10 mm	110 mm
TOO.MAS.55583264	SDS5110	5 x 110 mm	5 mm	160 mm
TOO.MAS.55583308	SDS6160	6 x 160 mm	6 mm	120 mm
TOO.MAS.75583365	SDS12120	12 x 120 mm	12 mm	110 mm
TOO.MAS.85583281	SDS8110	8 x 110 mm	8 mm	160 mm
TOO.MAS.85583314	SDS8160	8 x 160 mm	8 mm	160 mm
TOO.MAS.85583330	SDS12160	12 x 160 mm	12 mm	110 mm
TOO.MAS.95583276	SDS6110	6 x 110 mm	6 mm	210 mm
TOO.MAS.95583341	SDS8210	8 x 210 mm	8 mm	260 mm
TOO.MAS.95583396	SDS12260	12 x 260 mm	12 mm	

Tip: Tip with Copper Coating



Powerhouse Carbide Tipped TCT Hole Saw

SKU	Model No.	Size	Length	Tip	Type
TOO.HOL.105583521	TC-C0606	19 mm	26 mm	Carbide	Type I
TOO.HOL.105583542	TC-C0626	25 mm	26 mm	Carbide	Type I
TOO.HOL.55583550	TC-C0117	26 mm	26 mm	Carbide	Type I
TOO.HOL.75583536	TC-C0611	22 mm	26 mm	Carbide	Type I
TOO.HOL.75583562	TC-C0118	28 mm	26 mm	Carbide	Type I
TOO.HOL.75583581	TC-C0121	35 mm	26 mm	Carbide	Type I
TOO.HOL.95583570	TC-C0120	32 mm	26 mm	Carbide	Type I





Ingco Twist Drill Bits Set

SKU: POW.DRI.103182674

Size: 2x49, 3x61, 4x75, 5x86, 6x93, 8x117 mm

Model No.: AKDB1065



Ingco Masonry Drill Bits Set

SKU: POW.DRI.83182636

Size: 4x75, 5x85, 6x100, 8x120, 10x120 mm

Model No.: AKDB3055

Type of Product: 5Pcs Masonry Drill Bits Set



Ingco Accessories Set

SKU: POW.DRI.63182738

Model No.: HKTAC010671

Aspects: 1 Pcs, 10 Pcs

HSS twist drill bits: 2mm, 2.5mm, 3mm,

5 Pcs wood twist drill bits: 4mm, 5mm, 6mm, 8mm, 10mm

1 Pc bits holder

3 Pcs wood flat drill bits: 16mm, 20mm, 25mm

1 Pc 12mm Countersink

1 Pc drill bits diameter gauge

1 Pc unique design magnetic shank

Ingco Accessories Set

SKU: POW.DRI.93182748

Model No.: HKTAC010861

Aspects: 1 Pc bits holder

1 Pc Drill Bits diameter gauge

3 Pcs wood flat drill bits: 16mm, 20mm, 25mm

1 Pc 12mm Countersink

1 Pc mini spirit level

1 Pc snap-off blade knife

10 Pcs 1/4 inch sockets: 4mm, 5mm, 6mm,

7mm, 8mm, 9mm, 10mm, 11mm, 12mm, 13mm

1 Pc 4-6 adaptor

1 Pc ratchet handle

1 Pc 3m measuring tape



Ingco Bi-Metal Hole Saw Set

SKU: TOO.BIM.95782488

Model No.: AKH0121

Size: 20mm, 22mm, 25mm, 29mm, 32mm, 35mm, 38mm, 44mm, 48mm, 50mm

Ingco Tile Cutter

SKU: TOO.GRO.86420523

Model No.: HTC04600

Weight: 3.2kg

Cutting Capacity: 600 mm

Dimension: 85x26x14 cm



Packaging Materials & Machines, Hydraulics, Hardwares and Machining Accessories



PowerHouse Sealing Machine

SKU: PAC.SEA.54144595
Model No: FR900
Sealing Speed: 0-12M/min
(Adjustable)
Transfer Load: <5kg
Voltage Power: 500 W
Seal Width: 6-12 mm
Seal Length: 0-8mm
Temperature Control Range:
0C-300C210 x 225 mm



PowerHouse Hydraulic Crimping Tool

SKU: HYD.HYD.101651006
Model No: YQK-300
Stroke: 20 mm
Crimping Force: 12 Ton
Crimping Type: Hexagon Crimping
Crimping Range: 16-300 mm
Suitable for Crimping Die: 16, 25, 35, 50,
70, 95, 120, 150, 185, 240, 300 mm



Powerhouse Manual Pressure Test Pump

SKU: HYD.HYD.34144520
Model No: HHS-6.3T
Mpa: 6.3 MPA



Powerhouse Wrecking Bar

SKU: MAC.WRE.25511160
Model No: CG10000600X18-11
Size: 600 x 18 mm, 10x11.3x0.7mm
Aspects: Pack of 1000 Pins.
Use: Staple Multiple Papers



Fulcrum Aluminium Suction Glass Lifter

SKU: HAR.GLA.55188076
Model No: GC002
No. of Cups: Dual Cups
Rubber Diameter: 118 mm

Horizontal Suction: 1000 kg
Vertical Suction: 80 kg
Rubber Thickness: 6.5 mm
Material: Aluminium



Abrasives



Powerhouse Zirconia Flap Disc

SKU	Model No.	Diameter (Inch)	Size (Inch)	No. of Grit
ABR.ABR.25592501	RS270100	4	4 x 5/8	80
ABR.ABR.35592496	RS270100	4	4 x 5/8	60



Powerhouse Flap Disc with Shaft

SKU	Model No.	Diameter (mm)	Size (mm)	No. of Grit
ABR.ABR.85592512	RS150180	50	50 x 25 x 6	60
ABR.ABR.85592528	RS150180	50	50 x 25 x 6	80
ABR.ABR.75592537	RS150180	50	50 x 25 x 6	120



Powerhouse Aluminum Flap Disc

SKU	Model No.	Diameter (Inch)	Size (Inch)	No. of Grit
ABR.ABR.95592465	RS150100	4	4 x 5/8	60
ABR.ABR.75592471	RS150100	4	4 x 5/8	80
ABR.ABR.25592484	RS150100	4	4 x 5/8	120



Powerhouse Wheel Brush with Shaft

SKU	Model No.	Size (mm)
ABR.BRU.55592567	RS8200	50
ABR.BRU.45592570	RS8240	75



Powerhouse Cup Brush with Shaft

SKU	Model No.	Size (mm)
ABR.BRU.95592546	RS8620	50
ABR.BRU.65592556	RS8640	75



Powerhouse Twisted Wire Brush

SKU: ABR.BRU.95592611

Model No: RS8320

Size: 75 mm



Powerhouse Sanding Disc

SKU: ABR.SAN.65592608

Model No: RS970125

Size: 125 mm



Powerhouse Hand Brush

SKU	Model No.	Size (mm)
ABR.BRU.45592593	RS8910	230
ABR.BRU.65592583	RS8930	230



Safety



Safety

Fulcrum Zyrex Navy Basic Coverall Safety Workwear

SKU: SAF.IND.26033560
 Sub Type: Safety Work Wear
 Size: Medium
 Material: 100% Cotton, Twill, 200 GSM
 Features: Straight collar, Elasticated waist at back
 Color: Navy
 Model No: Zyrex
 Sleeve Type: Full sleeves with adjustable cuff closers
 Type of Product: Coverall
 Gender: Unisex
 Pocket Type: 6 Pockets(2 each at Chest, Side & Back)

SKU: SAF.IND.106033572
 Sub Type: Safety Work Wear
 Size: Large
 Material: 100% Cotton, Twill, 200 GSM
 Features: Straight collar, Elasticated waist at back
 Color: Navy Blue
 Model No: Zyrex
 Sleeve Type: Full sleeves with adjustable cuff closers
 Type of Product: Coverall
 Gender: Unisex
 Pocket Type: 6 Pockets(2 each at Chest, Side & Back)

SKU: SAF.IND.66033583
 Sub Type: Safety Work Wear
 Size: Medium
 Material: 100% Cotton, Twill, 240 GSM
 Features: Straight collar, Elasticated waist at back, Reflective tape
 Color: Orange
 Model No: Zuper
 Sleeve Type: Full with adjustable cuff closers
 Type of Product: Flame Resistance Coverall
 Gender: Unisex
 Pocket Type: 6 Pockets(2 each at Chest, Side & Back)

SKU: SAF.IND.86033597
 Sub Type: Safety Work
 WearSize: Large
 Material: 100% Cotton, Twill, 240 GSM
 Features: Straight collar, Elasticated waist at back, Reflective tape
 Color: Orange
 Model No: Zuper
 Sleeve Type: Full with adjustable cuff closers
 Type of Product: Flame Resistance Coverall
 Gender: Unisex
 Pocket Type: 6 Pockets(2 each at Chest, Side & Back)



Fulcrum ABREO Flyknit Antistatic Steel Toe Safety Shoes

SKU: SAF.SAF.66087447
 Sole: Moulded PU
 Size: 7
 Style: Oxford
 Protection: 200 J Impact resistance
 Model No: ABREO
 Colour: Grey and Blue

SKU: SAF.SAF.66087455
 Sole: Moulded PU
 Size: 8
 Style: Oxford
 Protection: 200 J Impact resistance
 Model No: ABREO
 Colour: Grey and Blue

SKU: SAF.SAF.86087466
 Sole: Moulded PU
 Size: 9
 Style: Oxford
 Protection: 200 J Impact resistance
 Model No: ABREO
 Colour: Grey and Blue

SKU: SAF.SAF.26087474
 Sole: Moulded PU
 Size: 10
 Style: Oxford
 Protection: 200 J Impact resistance
 Model No: ABREO
 Colour: Grey and Blue



industrybuying

OEM BRAND DISCOUNTS

W.E.F. April 2022

Corporate Office

401-402, First Floor, Ghirtorni,
MG Road, New Delhi - 110030

+91 8448449073

enquiry@industrybuying.com

industrybuying

Product Type	ABB	Discounts
ACB and Accessories		61%
MCCB - 10A to 250A		34%
MCCB - XT - XT1 to XT4		53%
MCCB - Tmax - T1 to T4		53%
MCCB - Tmax- T5 to T7		53%
Accessories of MCCB- XT RANGE		53%
SH200M Range of MCB		56%
S200M Range of MCB/F		56%
Distribution Board(Classic and Elegance)		49%
Industrial Plugs and Sockets - CCMA		49%
SDF DIN Type -32A to 800A - OESA/OS		49%
DIN Type Fuses (80kA)		44%
SDF BS Type -32A to 800A - OESA/OS		44%
BS Type Fuses (80kA) & Fuse Bases (upto 100A)		44%
Switch Disconnectors - 16A to 4000A - OT		29%
Changeover Switches - 16A to 3200A - OT		29%
Aux Contactors - Type N		50%
Aux Contactors - Type NX		50%
3P Power Contactor - AX - 9A to 95A		50%
3P Power Contactor - A - 9A to 95A		50%
3P power Contactors above 95A		50%
3P Power Contactors - AF- 9A to 750A		50%
4 Pole AC1 Contactors - A & AF - 25A to 1000A		50%
Spares for Contactors (Coil & Kit)		27%
Capacitor Switching Contactors - UA		50%
MPCB - (0.1A to 100A) - MS		50%
Thermal Overload Relays - TA, T & TF		50%
Electronic Overload Relays - E & EF		50%
Starters - DOL (0.25HP to 10HP)		44%
Soft Starters - PSR,PSE & PSTX		32%
PBs & LEDs (Compact Range) - CP1		32%
PBs & LEDs (Modular Range) - MPI		32%
Three phase monitoring Relays		29%
Pluggable Relays		29%
Thermistor Relays		29%
CP-E RANGE		29%
CP-T RANGE		29%

Product Type	BCH ELECTRIC LIMITED	Discounts
Limit switch N series		25%
Limit switch L series		25%
Contactor NHD series		33%
Contactor Freedom series		44%
Contactor CPD series		44%
CITATION CONTACTOR		21%
MCB single Pole		43%
MCB multi pole		43%
Relay Overload & citation		43%
Junction Box All		21%
Switch & Socket		21%

Product Type		Discounts
Auxiliary contactors		27%
MPCB		31%
Plug & Socket		40%
MCB & ELCB		43%
MNX contactor 9Amp to 40amp		27%
RCBO DB		45%
MCCB (DN2,DN3)		48%
MCCB (DN0,DN1)		45%
Limit switch, Harmony, Pushbuttons, Selector Switches & sensors		24%
LV Switchgear Spares (add on Blocks, Coil & Kits)		27%

Product Type	Schneider Electric	Discounts
MCB		64%
MCCB-CVS Model		49%
MCCB-NSXModel		41%
Contactors		50%
Contactors Relays		50%
Power Capacitors & Basic Meters		38%
All Harmony Product (XB5/XB7)		35%
Power Quality Products and Metering		53%
Invertor (VFD-Drive)		38%

To become our chanel partner, Contact:

dealersales@industrybuying.com

+91 8657885673

+91 8448449073

industrybuying.com

Electrical: Discounts on List Price

W.E.F. April 2022

Product Type	SIEMENS	Discounts
Contactors -3TF46-3TF69		51%
Contactors -3RT2036-3RT1076		52%
MCCB -3VT		52%
MPCB 3VU/3RV		52%
MCB -5SL		52%
ACB 3WT/3WL		52%
Relay -3UA/3RU		45%
Contactors -3TF30-3TF35		45%
Contactors -3RT2015-3RT2028		45%
Contactors -3TH30		45%
Contactors -3RH		45%
Dual Starter 3TW		41%
Timer 3RP		41%
Capacity Duty Contactor		41%
FUSE 3NA		45%
SFU 3KL		48%
Soft starter 3RW		48%
Relay 3RB		48%
PUSH BUTTON 3SB		47%
ELEMENT BLOCK 3SB		47%
LED INDICATOR 3SB		47%
Contactors Kit 3TY		23%
Contactors Coil 3TY		23%
Induction Motor -IE2/IE3-3LE		61%

Product Type	EATON	Discounts
Contactors		45%
Overload Relays		42%
MPCB		55%
Pushbuttons		26%
Safety Relay and Switches		26%
Signal Relay and Switches		26%

Product Type	ANCHOR	Discounts
Penta Series		30%
Roma Series		37%

Product Type	RR KABEL® wires without worries	Discounts
LT Aluminium XLPE Cable		41%
LT Copper XLPE Cable		41%
Flexible Single Core FR		37%
Flexible Single Core FR-LSH		38%
Flexible Multicore		31%
Shielded Cable		31%
HT 11 KV XLPE		41%
HT 33 KV XLPE		41%

Product Type	POLYCAB	Discounts
FRLS Cables- single core		43%
Armoured		43%
Telephone/CCTV		42%

Product Type	legrand®	Discounts
MCB		53%
MCCB		53%
RCBS/ELCBS		53%
Switch Socket Myrus/mylinc		50%

Product Type	Finolex	Discounts
Flexible Cable		25%
Armoured Cable		32%
Un-Armoured Cable		32%

Product Type	Jainson	Discounts
Lugs		34%
Glands		34%

Product Type	HENSEL	Discounts
Complete Range		26%



Electrical: Discounts on List Price

W.E.F. April 2022

Product Type	OMRON	Discounts
Sensors, Relays & Sockets		24%
Product Type	LAPP	
Wires		27%
Cables		27%
Conduits		27%
Product Type	Raychem	
HT Line Jointing Kit		67%
Product Type	TEKNIC	
PUSH BUTTON		13%
Product Type	Allen-Bradley	
Complete Range		22%
Product Type	ALMONARD	
Air Circulator		16%
Product Type	Bussmann	
Complete Range		11%
Product Type	comet	
Lugs		24%
Glands		20%
Product Type	EAPL	
Complete Range		11%

Product Type	elmex	Discounts
Complete Range		20%
Product Type	BAJAJ	
LED Lights		39%
Product Type	Sintex	
SMC Boxes		24%
Product Type	KEI	
FR/FRLS Insulated Copper Conductor (90 mtr)		33%
FR/FRLS Insulated Copper Conductor (180 mtr)		41%
PVC Insulated Multistranded Copper Conductor flexible cable 1.1K		41%
Product Type	NEPTUNE	
Plugs and Socket		42%

Pumps: Discounts on List Price

W.E.F. April 2022

Product Type	HAVELLS	Discounts
Pumps		20%
Product Type	rexroth	
Valves		27%
Product Type	Crompton	
Pumps		



Motor & Power W.E.F. April 2022

Transmission: Discounts on List Price

Product Type		Discounts
TERRAMAX TCA (Frame Size:- upto 160)		37%
TERRAMAX TCA (Frame Size:-180-250)		37%
TERRAMAX TCA (Frame Size:- 280 & above)		40%
TERRAMAX SCA (Frame Size:- upto 160)		37%
TERRAMAX SCA (Frame Size:-180-250)		38%
TERRAMAX SCA (Frame Size:- 280 & above)		39%

Product Type		Discounts
Coupling		24%

Product Type		Discounts
Mono Block		20%
Adrem Series		15%
K-Assembly		15%

Product Type		Discounts
Motors		53%

Product Type		Discounts
Motors- IE2		37%
Motors- IE3		34%
Motors-IE4		32%
Flame proof Motors		35%

Product Type		Discounts
Motors		58%

Product Type		Discounts
Motors		58%

Product Type		Discounts
Motors		27%

Product Type		Discounts
V- Belts		48%
Pulley		16%

Product Type		Discounts
Motors		30%

Lights: Discounts on List Price

Product Type		Discounts
LED MACHINE LAMPS - TOUGHENED GLASS		13%
LED MACHINE LAMPS - ALUMINIUM HOUSING		13%
Tower Lamps		13%
CONTROL PANEL LUMANAIRES (PANEL LAMP)		13%
Energy Saving Machine Lamps		8%
LED ECO Lamps		8%

Product Type		Discounts
Conventional Luminaries		46%

Product Type		Discounts
LED Lights		26%

Product Type		Discounts
LED Lights		26%

Product Type		Discounts
LED Lights		26%



Tool and Tackles: Discounts on List Price

W.E.F. April 2022

Product Type	Discounts
 FOTEM	
Drill bits	61%
Taps	27%
TAPARIA	
Complete Range	30%
STANLEY	
Hand Tools	29%
DeWALT	
Breaker machines	30%
JK	
Files	38%
BOSCH	
Power tools	22%
GROZ	
All Tools	25%
JHALANI	
Complete Range	41%
Makita	
Power Tools	27%

Product Type	Discounts
MIRANDA	
Drill bits	64%
cutter	45%
PYE	
Hand Tools	37%
STANLEY	
Hand Tools	29%

Cables: Discounts on List Price

W.E.F. April 2022

Product Type	Discounts
 ULTRACAB WIRES & CABLES An ISO 9001:2015 Certified Company	
House Wire 90 Mtr Class 2	37%
House Wire 90 Mtr Class 5	40%
House Wire 180 Mtr/Project Coils/500 Mtr Class 2	40%
House Wires 180m/Project Coils Class 5	41%
Single Core Flexible Cable 100m Coils/500 Drums	41%
Multi Core Flexible, Welding, Instrumentation Cables	41%
Winding Wires, 3 Core Flat Cables & Service Wires/Cables	41%
Coaxial, Tele, LAN and CCTV Cables	41%
Solar Cables, Festoon Cables, Shielded	41%
Auto & Battery Cables	41%
Welding Cables & Single & Multi Core Wires/Cables	41%
LT Power & Control Cables	37%
HAVELLS	
HT Power Cables	42%
LT Power Cables	42%
LT Control Cables	42%

To become our channel partner, Contact:



dealersales@industrybuying.com



+91 8657885673



+91 8448449073



industrybuying.com

Welding: Discounts on List Price

W.E.F. April 2022

Product Type	ESAB	Discounts
Welding Equipment		7%
Regulator		18%
Welding Consumables		37%
ESAB28 - (Ferrospeed / Ferrospeed Plus)		52%
Gas Cutter/Nozzle		18%
PPE Items		9%

Product Type	ador WELDING	Discounts
Industrial Gas Equipment		10%
Welding Consumables		26%

Product Type	MARUTI ELECTRODES	Discounts
Welding Consumable		31%

Product Type	DSH sécheron Complete Welding Support	Discounts
Norma		58%
Medio		58%
Supratherme		58%
Chromotherm-I		26%
Chromotherm-II		26%
Molytherme		26%

Safety: Discounts on List Price

W.E.F. April 2022

Product Type	Bata	Discounts
MRP above 1049		22%
MRP below 1049		22%

Hardware: Discounts on List Price

W.E.F. 1st Jan 2022

Product Type	ashirvad	Discounts
CPVC Pipe and Fitting		34%

Product Type	ASTRAL PIPES	Discounts
UPVC Pipe and Fitting		34%
CPVC Pipe and Fitting		38%

Product Type	Finolex	Discounts
CPVC Pipe		45%
CPVC Fitting		42%
UPVC Pipe		36%
UPVC Fitting		30%

Product Type	Supreme	Discounts
UPVC Pipe and Fitting		59%
CPVC Pipe and Fitting		48%

Lab Supplies: Discounts on List Price

W.E.F. April 2022

Product Type	BOROSIL	Discounts
Instrument Range Discount		6%
GW Range Discount		22%

Product Type	Whatman	Discounts
Complete Range		20%

Product Type	MERCH	Discounts
Imported Range		7%



Hydraulics & Pneumatics:

Discounts on List Price

W.E.F. April 2022

Product Type	FESTO	Discounts
Complete Rang		7%
Product Type	UPL	
Coupling		18%
Product Type	YUKEN	
Valves		30%
Product Type	JANATICS Pneumatic	
Complete Range		6%

Fasteners: Discounts on List Price

W.E.F. April 2022

Product Type	HAVELLS	Discounts
BOLT & NUT (SS304 & SS316)		56%
SCREWS (SS304) Allen & Philips head		64%
SLOTTED HEAD SCREWS (SS304)		62%
SCREWS (SS316)		55%
Product Type	TVS ELECTRONICS	
allen bolt		45%
Hex bol		38%
Product Type	Unbrako	
Nut Bolts		53%

Bearing: Discounts on List Price

W.E.F. April 2022

Product Type	SKF	Discounts
Domestic Bearing		29%
Imported Bearing		28%
Maintenance Items		24%
Oil Seals		22%
Power Transmission and Products		22%
Product Type	NTN	
Bearing		41%
Product Type	FAG	
Indian Ball Bearing		37%
Indian Spherical Roller Bearing		43%
Imported Bearing		43%
Product Type	TIMKEN	
Bearing		34%

Lab Supplies: Discounts on List Price

W.E.F. April 2022

Product Type	LOCTITE	Discounts
Complete Range		20%
Product Type	CARBORUNDUM	
Abrasive Belts		28%

Adhesive Sealants and Tapes:
Discounts on List Price

W.E.F. April 2022

Product Type	CARBORUNDUM	Discounts
Abrasive Belts		28%

To become our chanel partner, Contact:



dealersales@industrybuying.com



+91 8657885673



+91 8448449073



industrybuying.com

NOTES:

[illegible]

NOTES:

[illegible]

Industrybuying offers a wide variety of premium industrial tools, equipment, and accessories at wholesale rates.

We are committed to offer the best purchasing experience to our customers.



For more information, you can visit us at [industrybuying.com](https://www.industrybuying.com)

Or Experience our App on Mobile





Sale Support: +91 8448449073



Customer Support: +91 8447891808



dealersales@industrybuying.com



www.industrybuying.com



Khasra No. 401-402, Ghitorni,
Near Ghitorni Metro Station,
New Delhi- 110030